



Source Water Protection Electronic Annual Report City of Ottawa - 2022

SPR/SPA	Mississippi Valley, Rideau Valley,		
Policy Id	ADMIN-1-LB	Policy Tool	Section 59 Restricted Land Uses
Legal Effect	Conform with	Threat Type	Future & Existing
Agency	Municipality		
Implementing Body:	City of Ottawa		
Implementation Status:	Implemented	Completed:	False

Response: An interim Section 59 screening procedure is currently being implemented for new Planning Act applications:

- The location of the activity is verified by the municipal planner. If the activity is within a vulnerable area, the application is forwarded and reviewed by the RMO to determine any proposed activities could pose a significant drinking water threat. If there are none, a clearance e-mail is sent from the RMO to the planner stating that there is no potential for significant threat activities.
- If there is potential for a significant drinking water threat associated with the proposed activity, then the RMO consults directly with the proponent to determine if the specific activity (i.e. circumstances) is subject to Section 57 (Prohibition) or Section 58 (Risk Management Plan).

Internal screening procedures related to applications under the Planning Act and Building Code Act will be updated through the development and implementation of a by-law to screen out activities within certain land-use designations that have no potential for significant drinking water threats. Following approval of the new Official Plan in 2021, the City has initiated the process of developing a new zoning by-law to implement the policies in the new Official Plan, including implementing new zone provisions to conform to source protection policies. Source Protection Regions will be consulted when the by-law is developed.

Source Water Protection Electronic Annual Report

SPR/SPA	Mississippi Valley, Rideau Valley,		
Policy Id	ADMIN-2-LB	Policy Tool	Section 59 Restricted Land Uses
Legal Effect	Conform with	Threat Type	Future & Existing
Agency	Municipality		
Implementing Body:	City of Ottawa		
Implementation Status:	Implemented	Completed:	False

Response: An interim Section 59 screening procedure is currently being implemented for new Planning Act applications:

- The location of the activity is verified by the municipal planner. If the activity is within a vulnerable area, the application is forwarded and reviewed by the RMO to determine any proposed activities could pose a significant drinking water threat. If there are none, a clearance e-mail is sent from the RMO to the planner stating that there is no potential for significant threat activities.
- If there is potential for a significant drinking water threat associated with the proposed activity, then the RMO consults directly with the proponent to determine if the specific activity (i.e. circumstances) is subject to Section 57 (Prohibition) or Section 58 (Risk Management Plan).

Internal screening procedures related to applications under the Planning Act and Building Code Act will be updated through the development and implementation of a by-law to screen out activities within certain land-use designations that have no potential for significant drinking water threats. Following approval of the new Official Plan in 2021, the City has initiated the process of developing a new zoning by-law to implement the policies in the new Official Plan, including implementing new zone provisions to conform to source protection policies. Source Protection Regions will be consulted when the by-law is developed.

SPR/SPA	Mississippi Valley, Rideau Valley,		
Policy Id	ASM-2-LB-S58	Policy Tool	Section 58 Risk Management Plans
Legal Effect	Conform with	Threat Type	Future
Agency	Risk Management Official		
Implementing Body:	City of Ottawa		
Implementation Status:	Implemented	Completed:	False

Response:

Source Water Protection Electronic Annual Report

SPR/SPA Mississippi Valley, Rideau Valley,
Policy Id ASM-2-LB-S58 **Policy Tool** Section 58 Risk Management Plans
Legal Effect Conform with **Threat Type** Existing
Agency Risk Management Official
Implementing Body: City of Ottawa
Implementation Status: Implemented **Completed:** False

Response:

SPR/SPA Mississippi Valley, Rideau Valley,
Policy Id CORR-1-NLB **Policy Tool** Specify Actions to be taken to implement plan or achieve its objectives
Legal Effect Strategic **Threat Type** Future & Existing
Agency Municipality
Implementing Body: City of Ottawa
Implementation Status: Implemented: Policy outcome(s) evaluated - No further action(s) required **Completed:** False

Response: The City of Ottawa has a comprehensive Emergency Management Program, which includes the Municipal Emergency Plan. This Plan takes an all-hazard function-based approach and is always in effect as elements can be employed on a flexible and scalable basis to provide effective mitigation and response efforts in the Ottawa area. The Plan is designed to be used by all City departments, partners and stakeholders, during planned or unplanned situations. The Plan currently includes two documents directly related to drinking water: Adverse Drinking Water Response Plan and the Drinking Water Incident Escalation Response Plan. The City of Ottawa annually conducts a Hazard Identification and Risk Assessment to identify the range of hazards that may pose a risk. Although Emergency Response Plans have not yet been updated to include drinking water protection zones, the City plans to include consideration for drinking water protection zones in a future annual review. An update will be provided to the Source Protection Region in the 2023 Annual Source Protection Update Report.

SPR/SPA Mississippi Valley, Rideau Valley,
Policy Id DEICE-1-LB-S57 **Policy Tool** Section 57 Prohibition
Legal Effect Conform with **Threat Type** Future
Agency Risk Management Official
Implementing Body: City of Ottawa
Implementation Status: Implemented **Completed:** False

Response:



Source Water Protection Electronic Annual Report

SPR/SPA Mississippi Valley, Rideau Valley,
Policy Id DNAPL-1-LB-S58 **Policy Tool** Section 58 Risk Management Plans
Legal Effect Conform with **Threat Type** Existing
Agency Risk Management Official

Implementing Body: City of Ottawa

Implementation Status: Implemented **Completed:** False

Response:

SPR/SPA Mississippi Valley, Rideau Valley,
Policy Id DNAPL-2-LB-S57 **Policy Tool** Section 57 Prohibition
Legal Effect Conform with **Threat Type** Future
Agency Risk Management Official

Implementing Body: City of Ottawa

Implementation Status: Implemented **Completed:** False

Response:

SPR/SPA Mississippi Valley, Rideau Valley,
Policy Id DNAPL-3-LB-S57 **Policy Tool** Section 57 Prohibition
Legal Effect Conform with **Threat Type** Future
Agency Risk Management Official

Implementing Body: City of Ottawa

Implementation Status: Implemented **Completed:** False

Response:

Source Water Protection Electronic Annual Report

SPR/SPA Mississippi Valley, Rideau Valley,
Policy Id DNAPL-4-LB-S58 **Policy Tool** Section 58 Risk Management Plans
Legal Effect Conform with **Threat Type** Future
Agency Risk Management Official

Implementing Body: City of Ottawa

Implementation Status: Implemented

Completed: False

Response:

SPR/SPA Mississippi Valley, Rideau Valley,
Policy Id EDU-1-LB **Policy Tool** Education / Outreach
Legal Effect Conform with **Threat Type** Future & Existing
Agency Municipality

Implementing Body: City of Ottawa

Implementation Status: Implemented

Completed: False

Response: The City of Ottawa developed and maintains Outreach and Education materials including 19 factsheets and a City-hosted Source Protection website with an interactive map; see Ottawa.ca/SourceProtection or Ottawa.ca/protectiondessources. Drinking Water Protection Zones are also included and maintained as a map layer on the City's interactive geoportal (GeoOttawa.ca).

The City plans to implement a recurring social media campaign in 2023 to promote program awareness and safe practices to protect our shared drinking water resources.

SPR/SPA Mississippi Valley, Rideau Valley,
Policy Id EDU-3-NLB **Policy Tool** Education / Outreach
Legal Effect Strategic **Threat Type** Future & Existing
Agency Municipality

Implementing Body: City of Ottawa

Implementation Status: Implemented

Completed: False

Response:

Source Water Protection Electronic Annual Report

SPR/SPA Mississippi Valley, Rideau Valley,
Policy Id EDU-4-NLB **Policy Tool** Education / Outreach
Legal Effect Strategic **Threat Type** Future & Existing
Agency Municipality
Implementing Body: City of Ottawa
Implementation Status: Implemented: Policy outcome(s) evaluated - No further action(s) required **Completed:** False
Response: The City will evaluate locations to install signs on Municipal roads and waterways. An update will be provided to the Source Protection Region in the 2023 Annual Source Protection Update Report.

SPR/SPA Mississippi Valley, Rideau Valley,
Policy Id EDU-5-NLB **Policy Tool** Education / Outreach
Legal Effect Strategic **Threat Type** Future & Existing
Agency Municipality
Implementing Body: City of Ottawa
Implementation Status: Implemented: Policy outcome(s) evaluated - No further action(s) required **Completed:** False
Response: The City will evaluate the implementation an education and outreach initiative directed at local fuel distributors, sewage haulers, lawn care companies and other businesses that transport potential drinking water contaminants through Drinking Water Protection Zones with a vulnerability score of 8 or higher. An update will be provided to the Source Protection Region in the 2023 Annual Source Protection Update Report.

SPR/SPA Mississippi Valley, Rideau Valley,
Policy Id FERT-2-LB-S58 **Policy Tool** Section 58 Risk Management Plans
Legal Effect Conform with **Threat Type** Future
Agency Risk Management Official
Implementing Body: City of Ottawa
Implementation Status: Implemented **Completed:** False
Response:



Source Water Protection Electronic Annual Report

SPR/SPA Mississippi Valley, Rideau Valley,
Policy Id FERT-2-LB-S58 **Policy Tool** Section 58 Risk Management Plans
Legal Effect Conform with **Threat Type** Existing
Agency Risk Management Official

Implementing Body: City of Ottawa

Implementation Status: Implemented **Completed:** False

Response:

SPR/SPA Mississippi Valley, Rideau Valley,
Policy Id FERT-3-LB-S57 **Policy Tool** Section 57 Prohibition
Legal Effect Conform with **Threat Type** Future
Agency Risk Management Official

Implementing Body: City of Ottawa

Implementation Status: Implemented **Completed:** False

Response:

SPR/SPA Mississippi Valley, Rideau Valley,
Policy Id FUEL-1-LB-S58 **Policy Tool** Section 58 Risk Management Plans
Legal Effect Conform with **Threat Type** Future
Agency Risk Management Official

Implementing Body: City of Ottawa

Implementation Status: Implemented **Completed:** False

Response:

Source Water Protection Electronic Annual Report

SPR/SPA Mississippi Valley, Rideau Valley,
Policy Id FUEL-1-LB-S58 **Policy Tool** Section 58 Risk Management Plans
Legal Effect Conform with **Threat Type** Existing
Agency Risk Management Official

Implementing Body: City of Ottawa

Implementation Status: In progress/some progress made

Completed: False

Response: There are currently ten residences with home heating oil tanks that are considered significant drinking water threats to municipal well systems within the Mississippi-Rideau Source Protection Region. Five are managed through RMPs and five do not currently have RMPs due to non-responsive or non-compliant landowners. City staff and Conservation Authority staff have been working towards RMP negotiations since 2017 using a 'soft approach' (politely requesting compliance, multiple visits).

The Fuel Tank Incentive Program was approved by the City's Agricultural and Rural Affairs Committee on May 5, 2022 and Council on May 11, 2022. The program is expected to be complete by 2024.

The Fuel Tank Incentive Program offers financial incentives to remove existing fuel oil tanks that are located near municipal wells and replace them with an alternate heating source (air source heat pump or natural gas), that are not considered a significant drinking water threat. Additional incentives will be provided to support a green energy option (air source heat pump), to coincide with the City's climate change initiatives. The goal of the fuel tank incentive program is to eliminate the existing fuel threats and protect rural communal drinking water resources.

SPR/SPA Mississippi Valley, Rideau Valley,
Policy Id FUEL-5-LB-S57 **Policy Tool** Section 57 Prohibition
Legal Effect Conform with **Threat Type** Future
Agency Risk Management Official

Implementing Body: City of Ottawa

Implementation Status: Implemented

Completed: False

Response:



Source Water Protection Electronic Annual Report

SPR/SPA	Mississippi Valley, Rideau Valley,		
Policy Id	FUEL-6-LB-S58	Policy Tool	Section 58 Risk Management Plans
Legal Effect	Conform with	Threat Type	Future
Agency	Risk Management Official		
Implementing Body:	City of Ottawa		
Implementation Status:	Implemented	Completed:	False

Response:

SPR/SPA	Mississippi Valley, Rideau Valley,		
Policy Id	FUEL-6-LB-S58	Policy Tool	Section 58 Risk Management Plans
Legal Effect	Conform with	Threat Type	Existing
Agency	Risk Management Official		
Implementing Body:	City of Ottawa		
Implementation Status:	Implemented	Completed:	False

Response:

SPR/SPA	Mississippi Valley, Rideau Valley,		
Policy Id	LIVE-2-LB-S58	Policy Tool	Section 58 Risk Management Plans
Legal Effect	Conform with	Threat Type	Future
Agency	Risk Management Official		
Implementing Body:	City of Ottawa		
Implementation Status:	Implemented	Completed:	False

Response:



Source Water Protection Electronic Annual Report

SPR/SPA	Mississippi Valley, Rideau Valley,		
Policy Id	LIVE-2-LB-S58	Policy Tool	Section 58 Risk Management Plans
Legal Effect	Conform with	Threat Type	Existing
Agency	Risk Management Official		
Implementing Body:	City of Ottawa		
Implementation Status:	Implemented	Completed:	False

Response:

SPR/SPA	Mississippi Valley, Rideau Valley,		
Policy Id	NASM-3-LB-S58	Policy Tool	Section 58 Risk Management Plans
Legal Effect	Conform with	Threat Type	Future
Agency	Risk Management Official		
Implementing Body:	City of Ottawa		
Implementation Status:	Implemented	Completed:	False

Response:

SPR/SPA	Mississippi Valley, Rideau Valley,		
Policy Id	NASM-3-LB-S58	Policy Tool	Section 58 Risk Management Plans
Legal Effect	Conform with	Threat Type	Existing
Agency	Risk Management Official		
Implementing Body:	City of Ottawa		
Implementation Status:	Implemented	Completed:	False

Response:



Source Water Protection Electronic Annual Report

SPR/SPA Mississippi Valley, Rideau Valley,
Policy Id PATH-1-NLB **Policy Tool** Specify Actions to be taken to implement plan or achieve its objectives
Legal Effect Strategic **Threat Type** Future & Existing
Agency Municipality
Implementing Body: City of Ottawa
Implementation Status: Implemented: Policy outcome(s) evaluated - No further action(s) required **Completed:** False
Response: The City is evaluating the potential of implementing by-laws related to installation of geothermal systems in wellhead protection areas. An update will be provided to the Source Protection Region in the 2023 Annual Source Protection Update Report.

SPR/SPA Mississippi Valley, Rideau Valley,
Policy Id PEST-4-LB-S58 **Policy Tool** Section 58 Risk Management Plans
Legal Effect Conform with **Threat Type** Existing
Agency Risk Management Official
Implementing Body: City of Ottawa
Implementation Status: Implemented **Completed:** False
Response:

SPR/SPA Mississippi Valley, Rideau Valley,
Policy Id PEST-5-LB-S57 **Policy Tool** Section 57 Prohibition
Legal Effect Conform with **Threat Type** Future
Agency Risk Management Official
Implementing Body: City of Ottawa
Implementation Status: Implemented **Completed:** False
Response:

Source Water Protection Electronic Annual Report

SPR/SPA	Mississippi Valley, Rideau Valley,		
Policy Id	SALT-1-LB-S58	Policy Tool	Section 58 Risk Management Plans
Legal Effect	Conform with	Threat Type	Existing
Agency	Risk Management Official		
Implementing Body:	City of Ottawa		
Implementation Status:	Implemented	Completed:	False

Response:

SPR/SPA	Mississippi Valley, Rideau Valley,		
Policy Id	SALT-2-LB-S57	Policy Tool	Section 57 Prohibition
Legal Effect	Conform with	Threat Type	Future
Agency	Risk Management Official		
Implementing Body:	City of Ottawa		
Implementation Status:	Implemented	Completed:	False

Response:

SPR/SPA	Mississippi Valley, Rideau Valley,		
Policy Id	SALT-5-NLB	Policy Tool	Specify Actions to be taken to implement plan or achieve its objectives
Legal Effect	Strategic	Threat Type	Future & Existing
Agency	Municipality		
Implementing Body:	City of Ottawa		
Implementation Status:	Implemented	Completed:	False

Response: The City has a Road Salt Management Plan which was developed in accordance with Environment Canada’s Code of Practice for Environmental Management of Road Salts. The City’s original Plan was created in 2005 and was last updated in 2015, with the associated Salt Spreader Calibration Document which is updated annually. The City initiated a full review of the Road Salt Management Plan in 2022, which will continue into 2023. The revised Road Salt Management Plan will have consideration for designated vulnerable areas under Clean Water Act, where applicable.

A copy of the City’s Road Salt Management Plan can be made available to the Source Protection Authority upon request.

Source Water Protection Electronic Annual Report

SPR/SPA	Mississippi Valley, Rideau Valley,		
Policy Id	SALT-6-NLB	Policy Tool	Specify Actions to be taken to implement plan or achieve its objectives
Legal Effect	Strategic	Threat Type	Future & Existing
Agency	Municipality		
Implementing Body:	City of Ottawa		
Implementation Status:	Implemented	Completed:	False

Response: The City of Ottawa implements an internally-developed winter road maintenance and salt management training program which is similar to (and more comprehensive than) the Smart about Salt certificate program. The City's program includes full training regarding salting practices and the City's Road Salt Management Plan; best management practices; environmental concerns related to road salt; freezing point deprivation; applicable legislation; and road design and construction related to winter road maintenance. The City trains over 600 roads and parking staff annually and requires training for all contractors hired by the City for winter road maintenance. In addition, 11 City staff are trained as champions in road salt management, these staff are accessible to respond to operator inquiries and provide additional training as needed.

SPR/SPA	Mississippi Valley, Rideau Valley,		
Policy Id	SEW-1-LB	Policy Tool	Specify Actions to be taken to implement plan or achieve its objectives
Legal Effect	Conform with	Threat Type	Future & Existing
Agency	Municipality		
Implementing Body:	City of Ottawa		
Implementation Status:	Implemented	Completed:	False

Response:

SPR/SPA	Mississippi Valley, Rideau Valley,		
Policy Id	SEW-11-LB-S58	Policy Tool	Section 58 Risk Management Plans
Legal Effect	Conform with	Threat Type	Future
Agency	Risk Management Official		
Implementing Body:	City of Ottawa		
Implementation Status:	Implemented	Completed:	False

Response:

Source Water Protection Electronic Annual Report

SPR/SPA	Mississippi Valley, Rideau Valley,		
Policy Id	SEW-11-LB-S58	Policy Tool	Section 58 Risk Management Plans
Legal Effect	Conform with	Threat Type	Existing
Agency	Risk Management Official		
Implementing Body:	City of Ottawa		
Implementation Status:	Implemented	Completed:	False

Response:

SPR/SPA	Mississippi Valley, Rideau Valley,		
Policy Id	SEW-12-LB-S57	Policy Tool	Section 57 Prohibition
Legal Effect	Conform with	Threat Type	Future
Agency	Risk Management Official		
Implementing Body:	City of Ottawa		
Implementation Status:	Implemented	Completed:	False

Response:

SPR/SPA	Mississippi Valley, Rideau Valley,		
Policy Id	SEW-14-LB-S58	Policy Tool	Section 58 Risk Management Plans
Legal Effect	Conform with	Threat Type	Existing
Agency	Risk Management Official		
Implementing Body:	City of Ottawa		
Implementation Status:	Implemented	Completed:	False

Response:

Source Water Protection Electronic Annual Report

SPR/SPA Mississippi Valley, Rideau Valley,
Policy Id SEW-15-LB-PI/PA-MC **Policy Tool** Land Use Planning Approaches
Legal Effect Conform with **Threat Type** Future
Agency Municipality

Implementing Body: City of Ottawa

Implementation Status: Implemented

Completed: False

Response: Following the approval of the new Official Plan in fall 2021, the City has initiated the process of updating zoning by-laws to conform to Source Protection Policies. This will include prohibition of sewer works as listed in policies SEW-9-LB-PA/PI-MC and SEW-15-LB-PA/PI-MC. Source Protection Regions will be consulted on zoning by-law amendments.

Currently, new development applications are screened through an internal Section 59 screening process.

SPR/SPA Mississippi Valley, Rideau Valley,
Policy Id SEW-16-LB-S57 **Policy Tool** Section 57 Prohibition
Legal Effect Conform with **Threat Type** Future
Agency Risk Management Official

Implementing Body: City of Ottawa

Implementation Status: Implemented

Completed: False

Response:

SPR/SPA Mississippi Valley, Rideau Valley,
Policy Id SEW-2-LB **Policy Tool** Specify Actions to be taken to implement plan or achieve its objectives
Legal Effect Conform with **Threat Type** Existing
Agency Municipality

Implementing Body: City of Ottawa

Implementation Status: Implemented

Completed: False

Response:

Source Water Protection Electronic Annual Report

SPR/SPA	Mississippi Valley, Rideau Valley,		
Policy Id	SEW-3-LB	Policy Tool	Specify Actions to be taken to implement plan or achieve its objectives
Legal Effect	Conform with	Threat Type	Future
Agency	Municipality		
Implementing Body:	City of Ottawa		
Implementation Status:	Implemented	Completed:	False

Response: Required policies are in place. Projects that include the siting and design of private sewage systems require plans to be submitted through the building permit or site plan control process (i.e. new dwelling or commercial/industrial development, coach house, alteration to a dwelling, etc.); plans are reviewed by City staff. When the City receives a building permit application under the Building Code Act for an existing lot of record, a grading and servicing plan are required as part of the permit process. One exception is small accessory building, which would not be related to a septic system. For projects subject to site plan control, instead of reviewing the grading plan at permit stage, the plan would be reviewed through the site plan control process prior to the permit review, as per the Site Plan Control By-Law.

SPR/SPA	Mississippi Valley, Rideau Valley,		
Policy Id	SEW-4-LB	Policy Tool	Specify Actions to be taken to implement plan or achieve its objectives
Legal Effect	Conform with	Threat Type	Existing
Agency	Municipality		
Implementing Body:	City of Ottawa		
Implementation Status:	In progress/some progress made	Completed:	False

Response: The Sewer Connection By-Law is currently being updated at the City. The project has been delayed, however the update is expected to be complete in 2024.
The update includes the following:

The City shall require connection to the Public Sewage Works in areas where the on-site sewage system is a significant drinking water threat as described in the Clean Water Act, as amended, and associated Technical Rules, as amended, (capacity permitting) where services are available at the property line in the following situations:

- (1) where an existing system has failed a Phase II Maintenance Inspection and/or an order has been issued to replace or do significant upgrades; or
- (2) when the Principle Authority has deemed an existing system inadequate to service a proposed redevelopment or renovation; or
- (3) for new development or existing vacant lots of record.

Source Water Protection Electronic Annual Report

SPR/SPA	Mississippi Valley, Rideau Valley,		
Policy Id	SEW-6-LB	Policy Tool	Specify Actions to be taken to implement plan or achieve its objectives
Legal Effect	Conform with	Threat Type	Future & Existing
Agency	Municipality		
Implementing Body:	City of Ottawa		
Implementation Status:	Implemented	Completed:	False

Response: The current sanitary sewer maintenance program within the Mississippi-Rideau area is as follows:

- Infrastructure Services has identified the relevant pipes of interest, information is shared through a layer within the City's GIS program.
- Wastewater Collection Crews deploy a contractor, under their supervision, to clean the indicated pipes. This work is followed by the capture of CCTV footage, all completed under PACP certification. Footage is reviewed by city staff and any deficiencies are identified and repaired.
- In compliance with the Source Protection Plan, these areas will be cleaned and camera work completed at 5 year intervals going forward.
- An automated preventative maintenance program has been set up within the City's MMS to trigger the start of this work every five years.

• The sanitary sewer maintenance program was first implemented in 2015/2016. Identified sewers within the Mississippi-Rideau Source Protection Region were cleaned as part of the work contract and had CCTV inspections completed following the cleaning (within the regions of Carp, Munster, and Richmond).

• The second round of maintenance work was completed in 2021 (Richmond: between May 1st and 14th, 2021; Carp between July 1st and July 15th, 2021; Munster between October 1st and November 25th, 2021). City staff completed a review the completeness of the 2021 CCTV inspections in early 2022, no deficiencies were detected.

SPR/SPA	Mississippi Valley, Rideau Valley,		
Policy Id	SEW-9-LB-PI/PA-MC	Policy Tool	Land Use Planning Approaches
Legal Effect	Conform with	Threat Type	Future
Agency	Municipality		
Implementing Body:	City of Ottawa		
Implementation Status:	In progress/some progress made	Completed:	False

Response: Following the approval of the new Official Plan in fall 2021, the City has initiated the process of updating zoning by-laws to conform to Source Protection Policies. This will include prohibition of sewer works as listed in policies SEW-9-LB-PA/PI-MC and SEW-15-LB-PA/PI-MC. Source Protection Regions will be consulted on zoning by-law amendments.

Currently, new development applications are screened through an internal Section 59 screening process.



Source Water Protection Electronic Annual Report

SPR/SPA	Mississippi Valley, Rideau Valley,		
Policy Id	WASTE-2-LB-S58	Policy Tool	Section 58 Risk Management Plans
Legal Effect	Conform with	Threat Type	Existing
Agency	Risk Management Official		
Implementing Body:	City of Ottawa		
Implementation Status:	Implemented	Completed:	False

Response:

SPR/SPA	Mississippi Valley, Rideau Valley,		
Policy Id	WASTE-4-LB-S57	Policy Tool	Section 57 Prohibition
Legal Effect	Conform with	Threat Type	Future
Agency	Risk Management Official		
Implementing Body:	City of Ottawa		
Implementation Status:	Implemented	Completed:	False

Response:
