



NOTES:

- 1. THE WALLS AND ROOF STRUCTURAL PANELS OF THE SUNROOM WILL BE PREFABRICATED BY LIFESTYLE SUNROOMS INC. AND WILL BE INSTALLED BY ITS TRAINED SKILLED INSTALLERS.
- 2. A PROFESSIONAL ENGINEER UNDERTAKES THE GENERAL REVIEW OF THE INSTALLATION.
- 3. A FINAL PROJECT REVIEW LETTER WILL BE SUBMITTED TO THE BUILDING DEPARTMENT AFTER THE COMPLETION.
- 4. (1). <u>STAIRS</u> RISER DIMENSIONS SHALL CONFIRM TO ARTICLES 9.8.4.2 AND 9.8.4.3 OF THE 2012 OBC WHICH STIPULATES THAT RISERS DESIGNED FOR PRIVATE USE MUST HAVE A MAXIMUM RISE OF NO MORE THAN 200 mm OR A MINIMUM RISE OF NO LESS THAN 125 mm AND A MAXIMUM RUN OF NO MORE THAN 355 mm OR A MINIMUM RUN OF NO MORE THAN 255 mm AND A MAXIMUM TREAD DEPTH OF 355 mm OR A MINIMUM TREAD DEPTH OF NO LESS THAN 235 mm.
- 4. (2). REQUIRED EXIT <u>STAIRS</u> SHALL HAVE A WIDTH, MEASURED BETWEEN WALL FACES OR GUARDS, OF NOT LESS THAN 900 mm AS PER ARTICLE 9.8.2.1 OF THE 2012 OBC.
- 5. THE WIDTH OF THE LANDING IF REQUIRED SHALL BE NOT LESS THAN THE GREATER REQUIRED STAIR WIDTH WHERE ONE OR MORE OF THE STAIR WIDTHS DO NOT EXCEED THEIR RESPECTIVE REQUIRED WIDTHS, OR NOT LESS THAN THE LESSER ACTUAL STAIR WIDTH WHERE ALL OF THE WIDTHS OF THE STAIRS EXCEED THEIR RESPECTIVE REQUIRED WIDTHS AS PER ARTICLES 9.8.6.2 AND 9.8.6.3 OF THE 2012 OBC.
- 6. ALL <u>HAND RAILS AND GUARDS</u> SHALL BE BUILT AS PER OBC 2012 AND SUPPLEMENTARY STANDARD SB-7. EXTERIOR HANDRAIL AND GUARDS TO BE AT LEAST 900 mm OR 36" MEASURED VERTICALLY ABOVE THE NOSING OF ANY TREAD AND/OR PLATFORM NOT MORE THAN 1800 mm OR 5'-11" ABOVE THE FINISHED GROUND AS PER SUBSECTIONS 9.8.7 AND 9.8.8 OF 2012 OBC; ALL PICKET AND/OR GUARD SPACING MUST BE NO MORE THAN 100 mm OR 4" APART AS PER ARTICLE 9.8.8.5 OF THE 2012 OBC; ALL BALUSTERS TO BE SPACED NO MORE THAN 1200 mm OR 48" APART.

7.TO CARRY RAINWATER AWAY FROM THE SUNROOM, DOWNSPOUTS WILL BE INSTALLED AT THE OUTSIDE CORNERS OF ROOM IN ACCORDANCE TO ARTICLES 9.26.18.2, 7.3.3.7, AND 5.6.2.2 OF THE 2012 OBC.

8. ALL <u>ADDITIONAL ASPECTS</u> OF THE PROJECT WILL BE INSTALLED ACCORDING TO TACBOC DETAILS AND COMPLY WITH THE REQUIREMENTS STIPULATED BY THE 2012 OBC, INCLUDING DOORS (TO SECTION 9.6.); WINDOWS (TO SECTION 9.7.); SKYLIGHTS(TO SUBSECTION 9.7.7.); GLASSES(TO SUBSECTION 9.7.3.); WOOD FRAME CONNECTIONS, DECK FARMING ,STICK BUILT WALLS AND SUBFLOORING (TO SUBSECTION 9.23.14);BUILT-UP BEAMS (TO ARTICLE 9.23.8.3); BUILT-UP COLUMNS (TO ARTICLE 9.17.4.2); ROOFING (TO SECTION 9.26.); ROOF DRAINS AND DOWNSPOUTS (TO SUBSECTION 9.26.18.); FLASHING (TO SUBSECTIONS 9.20.13 &9.26.3 &9.26.4); CLADDING(TO SECTION 9.27.4.); INTERIOR FINISHING (TO SUBSECTION 9.29.); FLOORING (TO SECTION 9.30.); STAIRS, RAMPS, HANDRAILS AND GUARDS (TO SECTION 9.8.); LIGHTING OUTLETS (TO SECTION 9.34.).

LOT AREA	427 76 p = 4550,53 ft
TOTAL EXISTING FLOOR AREA	95, 25 m2 1025, 27 ft
PROPOSED SUNROOM AREA	200 42m2 220' ft
TOTAL EXISTING AND PROPOSED FLOOR AREA	115,67m2 1245 ft
TOTAL LOT COVERAGE	27. %

THIS SITE PLAN IS DRAWN PER THE OWNER INFORMATION



944 Crawford Dr. Peterborough, Ontario K9J 3X2

www.lifestylesunrooms.com

Tel: 800-465-0593 Fax: 800-934-0822

PROJECT

LIFESTYLE UNHEATED SUNROOM ADDITION

PROJECT ADDRESS

44 WOODPARKWAY NEPEAN, OTTAWA ONTARIO K2J 4B4

DRAWING TITLE

SITE PLAN

DRAWING NUMBER

01

REVISION	PROJECT#	DESIGN#
	02023	
	**************************************	-

MODEL TYPE \$125 AFRAME (5.5" ALUMINUM TOP ROOF

CL	ENT	
WARRI	EN RODY	
DATE	SCALE	
JAN 18 2023		
DRAWN BY:	CHECKED BY:	
A.A S.K I.M	J.P.	





N







