



P.O. BOX 13593, STN. KANATA, OTTAWA, ON K2K 1X6
TELEPHONE: (613) 838-5717
WEBSITE: WWW.IFSASSOCIATES.CA

URBAN FORESTRY & FOREST MANAGEMENT CONSULTING

May 9, 2022

Randy Bell
48 Ryeburn Drive
Ottawa, ON
K1V 1H6

RE: TREE INFORMATION REPORT (FULL) FOR 48 RYEBURN DRIVE

This report details tree information for the above noted property in Ottawa. The need for this report is related to trees protected under the City of Ottawa's Tree Protection By-law (By-law No. 2020-340). The By-law reflects Section 4.8.2. of the City of Ottawa's Official Plan which calls for the retention of the City's urban forestry canopy and, in particular, the protection of large, healthy trees.

Tree information reports are to include assessments of all impacted distinctive trees on the subject and adjacent private properties. Within the suburban area of Ottawa distinctive trees are identified as having diameters of 50cm and greater at 1.3m from grade. One such tree was present on the neighbouring private property to the south. Trees of any diameter on adjacent City of Ottawa property are also to be included in tree information reports. No such trees were found. Table 1 on page 2 of this report details the single distinctive tree found adjacent to the subject property.

The proposed work for this residential lot consists of the demolition of a carport and construction of a new slab-on-grade garage in the same location south of the existing dwelling. Field work for this report was completed in April 2022.

Picture 1 on page 6 of this report shows the tree adjacent to the subject property.

PROVINCIAL REGULATIONS

Certain provincial regulations are applicable to trees on private property. In particular, the Endangered Species Act (2007) mandates that tree species on the Species at Risk in Ontario (SARO) list be identified. Butternut (*Juglans cinerea*) is present in Eastern Ontario and is listed as threatened on the SARO. Because of this it is protected from harm. No trees of this species were identified on the subject property or nearby adjacent properties.



TREE SPECIES, OWNERSHIP, SIZE, CONDITION AND REMOVAL STATUS

Table 1 below details the species, ownership, size (diameter), condition and removal status of the single tree adjacent to the subject property. The tree information plan included on page 3 of this report shows the tree in relation to proposed construction.

Table 1. Tree information for 48 Ryeburn Drive

Tree No.	Tree species	Owner -ship	DBH ¹ (cm)	CRZ ² (m)	Distance to excavation (m) ³	Tree Condition, Age Class, Condition Notes, and Species Origin	Reason for removal	Forester's Opinion re. Removal
1	White spruce (<i>Picea glauca</i>)	Neigh- bour	+/-50	+/-5	+/-3	Good, mature; dominant upright central stem; generally symmetric crown; good crown density, growth increment and needle colour; native species	Not applicable – to be preserved	NA

¹ diameter at breast height, or 1.3m from grade (unless otherwise indicated); ² critical root zone (CRZ) is considered as being 10 centimetres from the trunk of a tree for every centimetre of DBH. The CRZ is calculated as DBH x 10 cm; ³ approximate distances only



<p>GENERAL NOTES</p>	
<p>LEGEND</p> <ul style="list-style-type: none"> Tree Proposed Tree Existing Tree Proposed Building Existing Building Proposed Driveway Existing Driveway Proposed Parking Existing Parking Proposed Road Existing Road Proposed Utility Existing Utility Proposed Fence Existing Fence Proposed Boundary Existing Boundary Proposed Easement Existing Easement Proposed Right-of-Way Existing Right-of-Way Proposed Right-of-Way Extension Existing Right-of-Way Extension Proposed Right-of-Way Widening Existing Right-of-Way Widening Proposed Right-of-Way Reduction Existing Right-of-Way Reduction Proposed Right-of-Way Transfer Existing Right-of-Way Transfer Proposed Right-of-Way Exchange Existing Right-of-Way Exchange Proposed Right-of-Way Surrender Existing Right-of-Way Surrender Proposed Right-of-Way Acquisition Existing Right-of-Way Acquisition Proposed Right-of-Way Relinquishment Existing Right-of-Way Relinquishment Proposed Right-of-Way Reservation Existing Right-of-Way Reservation Proposed Right-of-Way Release Existing Right-of-Way Release Proposed Right-of-Way Encroachment Existing Right-of-Way Encroachment Proposed Right-of-Way Easement Existing Right-of-Way Easement Proposed Right-of-Way License Existing Right-of-Way License Proposed Right-of-Way Permit Existing Right-of-Way Permit Proposed Right-of-Way Order Existing Right-of-Way Order Proposed Right-of-Way Agreement Existing Right-of-Way Agreement Proposed Right-of-Way Deed Existing Right-of-Way Deed Proposed Right-of-Way Lease Existing Right-of-Way Lease Proposed Right-of-Way License Existing Right-of-Way License Proposed Right-of-Way Permit Existing Right-of-Way Permit Proposed Right-of-Way Order Existing Right-of-Way Order Proposed Right-of-Way Agreement Existing Right-of-Way Agreement Proposed Right-of-Way Deed Existing Right-of-Way Deed Proposed Right-of-Way Lease Existing Right-of-Way Lease 	
<p>0 1.5 3 6 9 Meters</p> <p>TREE INFORMATION PLAN</p> <p>48 RYEBURN STREET CITY OF OTTAWA</p>	
<p>Andrew K. Boyd, R.P.F.</p> <p>DATE: 2022-05-02</p> <p>PROJECT: 48 RY</p>	
<p>ASSOCIATES</p> <p>519-888-5717</p>	

TREE PROTECTION MEASURES

Protection measures intended to mitigate damage during construction will be applied to the tree to be retained. The following measures are the minimum required by the City of Ottawa to ensure tree survival during and following construction:

1. As per the City of Ottawa's tree protection barrier specification, erect a fence as close as possible to the CRZ of the tree(s);
2. Do not place any material or equipment within the CRZ of the tree(s);
3. Do not attach any signs, notices or posters to any tree;
4. Do not raise or lower the existing grade within the CRZ without approval;
5. Tunnel or bore instead of trenching within the CRZ of any tree;
6. Do not damage the root system, trunk or branches of any tree;
7. Ensure that exhaust fumes from all equipment are NOT directed towards any tree's canopy.

Additionally, as excavation will occur within the CRZ of tree #1 the following measures will be taken:

1. Hydro excavation along the edge of excavation in proximity to the tree so as to carefully expose roots. Exposed roots will then be cleanly cut and sealed before being reburied. Excavation can then resume using traditional mechanical means. Sealing the cleanly cut root ends with a beeswax product will help prevent the loss of moisture and facilitate healing.
2. If the excavation is to be left open for any period of time a covering of at least three layers of moistened burlap is to be draped over the exposed face of excavation closet to the tree. This will help reduce the loss of soil moisture (as soil dries the roots contained within desiccate). A covering of white plastic over the burlap is recommended to further help retain moisture.

REPLACEMENT TREE PLANTING OR COMPENSATION

As no distinctive trees are to be lost as a result of the proposed construction no tree planting or other compensation is required in this instance. Of course, the property owner is encouraged to plant trees (preferably native) in order to help beautify the neighbourhood and enhance the City's urban forest canopy.

I trust this report satisfies your requirements. Please do not hesitate to contact the undersigned with any questions or comments you may have.

This report is subject to the attached Limitations of Tree Assessments and Liability to which the reader's attention is directed.

Yours,



Andrew K. Boyd, B.Sc.F, R.P.F. (#1828)
Certified Arborist #ON-0496A and TRAQualified
Consulting Urban Forester

SELF-DECLARATION STATEMENT (TO BE SIGNED BY PROPERTY OWNER):

Randy Bell: 613-277-2884

By signing the application you are acknowledging and understanding that a city forestry inspector or municipal law enforcement officer may enter the property at a reasonable time for the purpose of carrying out an inspection. You also acknowledge and understand that through failure to abide by the recommendations of the approved Tree Information Report, damaging or destructing trees identified for protection, you alone will be responsible to bear fully the cost of compensation, removal, and replacement. Further, you are acknowledging having read and agreed to the Limitations of Tree Assessments and Liability included at the end of this report.



Picture 1. Tree #1, white spruce on private property adjacent to 48 Ryeburn Drive

LIMITATIONS OF TREE ASSESSMENTS & LIABILITY

GENERAL

It is the policy of *IFS Associates Inc.* to attach the following clause regarding limitations. We do this to ensure that our clients are clearly aware of what is technically and professionally realistic in assessing trees for retention.

This report was carried out by *IFS Associates Inc.* at the request of the client. The information, interpretation and analysis expressed in this report are for the sole benefit and exclusive use of the client. Possession of this report or a copy thereof does not imply right of publication or use for any purpose by any other than the client to whom it is addressed. Unless otherwise required by law, neither all or any part of the contents of this report, nor copy thereof, shall be conveyed by anyone, including the client, to the public through public relations, news or other media, without the prior expressly written consent of the author, and especially as to value conclusions, identity of the author, or any reference to any professional society or institute or to any initialed designation conferred upon the author as stated in his qualifications.

This report and any values expressed herein represent the opinion of the author; his fee is in no way contingent upon the reporting of a specified value, a stipulated result, nor upon any finding to be reported. Details obtained from photographs, sketches, *etc.*, are intended as visual aids and are not to scale. They should not be construed as engineering reports or surveys. Although every effort has been made to ensure that this assessment is reasonably accurate, the tree(s) should be reassessed at least annually. The assessment presented in this report is valid at the time of the inspection only. The loss or alteration of any part of this report invalidates the entire report.

LIMITATIONS

The information contained in this report covers only the tree(s) in question and no others. It reflects the condition of the assessed tree(s) at the time of inspection and was limited to a visual examination of the accessible portions only. *IFS Associates Inc.* has prepared this report in a manner consistent with that level of care and skill ordinarily exercised by members of the forestry and arboricultural professions, subject to the time limits and physical constraints applicable to this report. The assessment of the tree(s) presented in this report has been made using accepted arboricultural techniques. These include a visual examination of the above-ground portions of each tree for structural defects, scars, cracks, cavities, external indications of decay such as fungal fruiting bodies, evidence of insect infestations, discoloured foliage, the condition of any visible root structures, the degree and direction of lean (if any), the general condition of the tree(s) and the surrounding site, and the proximity of people and property. Except where specifically noted in the report, the tree(s) examined were not dissected, cored, probed or climbed to gain further evidence of their structural condition. Also, unless otherwise noted, no detailed root collar examinations involving excavation were undertaken.

While reasonable efforts have been made to ensure that the tree(s) proposed for retention are healthy, no warranty or guarantee, expressed or implied, are offered that these trees, or any parts of them, will remain standing. This includes other trees on or off the property not examined as part of this assignment. It is both professionally and practically impossible to predict with absolute certainty the behaviour of any single tree or groups of trees or their component parts in all circumstances, especially when within construction zones. Inevitably, a standing tree will always pose some risk. Most trees have the potential for failure in the event of root loss due to excavation and other construction-related impacts. This risk can only be eliminated through full tree removal.



Notwithstanding the recommendations and conclusions made in this report, it must be realized that trees are living organisms, and their health and vigour constantly change over time. They are not immune to changes in site conditions, or seasonal variations in the weather. It is a condition of this report that *IFS Associates Inc.* be notified of any changes in tree condition and be provided an opportunity to review or revise the recommendations within this report. Recognition of changes to a tree's condition requires expertise and extensive experience. It is recommended that *IFS Associates Inc.* be employed to re-inspect the tree(s) with sufficient frequency to detect if conditions have changed significantly.

ASSUMPTIONS

Statements made to *IFS Associates Inc.* in regards to the condition, history and location of the tree(s) are assumed to be correct. Unless indicated otherwise, all trees under investigation in this report are assumed to be on the client's property. A recent survey prepared by a Licensed Ontario Land Surveyor showing all relevant trees, both on and adjacent to the subject property, will be provided prior to the start of field work. The final version of the grading plan for the project will be provided prior to completion of the report. Any further changes to this plan invalidate the report on which it is based. *IFS Associates Inc.* must be provided the opportunity to revise the report in relation to any significant changes to the grading plan. The procurement of said survey and grading plan, and the costs associated with them both, are the responsibility of the client, not *IFS Associates Inc.*

LIABILITY

Without limiting the foregoing, no liability is assumed by *IFS Associates Inc.* for: 1) any legal description provided with respect to the property; 2) issues of title and/or ownership with respect to the property; 3) the accuracy of the property line locations or boundaries with respect to the property; 4) the accuracy of any other information provided by the client or third parties; 5) any consequential loss, injury or damages suffered by the client or any third parties, including but not limited to replacement costs, loss of use, earnings and business interruption; and, 6) the unauthorized distribution of the report.

INDEMNIFICATION

An applicant for a permit or other approval based on this report shall agree to indemnify and save harmless *IFS Associates Inc.* from any and all claims, demands, causes of action, losses, costs or damages that affected private landowners and/or the City of Ottawa may suffer, incur or be liable for resulting from the issuance of a permit or approval based on this report or from the performance or non-performance of the applicant, whether with or without negligence on the part of the applicant, or the applicant's employees, directors, contractors and agents.

Further, under no circumstances may any claims be initiated or commenced by the applicant against *IFS Associates Inc.* or any of its directors, officers, employees, contractors, agents or assessors, in contract or in tort, more than 12 months after the date of this report.

ONGOING SERVICES

IFS Associates Inc. accepts no responsibility for the implementation of any or all parts of the report, unless specifically requested to supervise the implementation or examine the results of activities recommended herein. In the event that examination or supervision is requested, that request shall be made in writing and the details, including fees, agreed to in advance.