

3. Update on the Electrification of Public Works Small Equipment

Compte rendu sur l'électrification du matériel léger de la Direction générale des travaux publics

Committee Recommendation

That Council receive this report for information.

Recommandation du Comité

Que le Conseil municipal prenne connaissance de ce rapport pour information.

Documentation/Documentation

1. General Manager's report, Public Works Department, dated 9 May 2024 (ACS2024-PWD-PMF-0001)

Rapport du Directeur général, travaux publics, daté le 9 mai 2024 (ACS2024-PWD-PMF-0001)

2. Extract of draft Minutes, Environment and Climate Change Committee, 21 May 2024.

Extrait de l'ébauche du procès-verbal, Comité de l'environnement et du changement climatique, le 21 mai 2024.

**Extract of Draft Minutes 11
Environment and Climate
Change Committee**

21 May 2024

**Extrait de l'ébauche du
procès-verbal 11
Comité de l'environnement et
du changement climatique
Le 21 mai 2024**

Update on the Electrification of Public Works Small Equipment

File No. ACS2024-PWD-PMF-0001 – City-wide

Report Recommendation

That the Environment and Climate Change Committee recommend that Council receive this report for information.

Mr. Alain Gonthier, General Manager, Public Works Department (PWD) introduced Ms Allyson Downs, Director, Parks Maintenance and Forestry Services, PWD, Mr. Dan Brisebois, Director, Facility Operations, Recreation, Cultural and Facility Services Department (RCFS) and Ms Louise Hine-Schmidt, Deputy Chief, Training and Safety, Emergency and Protective Services Department (EPS). Mr. Will MacDonald was also present to respond to questions.

Ms Downs and Mr. Brisebois spoke to a brief slide presentation that served as an overview of the report. A copy of this presentation is held on file with the Office of the City Clerk.

Following the presentation, the Committee heard from Mr. James Scott McKillop.

At the conclusion of Committee's questions to the delegation and to staff, and with discussions also having been concluded, the report recommendation was put before the Committee and the report was 'RECEIVED', as presented.

Received