

MIN. LOT WIDTH = 9 m **EXISTING AVERAGE GRADE MEASUREMENT POINTS FOR BOWER ST.** MIN. LOT AREA = 270 m2 **EXISTING AVERAGE GRADE** TOP OF FOUNDATION ASSIGNED 0'-0" MAX. BUILDING HEIGHT = 8.5 m **CALCULATION** A -36 1/2" MIN. FRONT YARD SETBACK = 3.36 m B -17 1/4" MIN. REAR YARD SETBACK = 7.27m C -15 1/4" MIN. INTERIOR YARD SETBACK = 1.8m total (no less than 0.6m one side) D -27 3/4" AVERAGE IS -2'-0 1/4" SEE A7 FOR TOTAL PROPOSED BUILDING HEIGHT renovations 1'-11 3/4" 0.60 m INTERIOR YARD SETBACK ⊒5.18 m EXISTING 1-STORY ADDITION 45 BOWER ST. **EXISTING 3-STORY DWELLING** R1TT **BOWER ST.** 36' MATURE NEIGHBOURHOOD OVERLAY 12.19 m 10.97 m **REAR YARD SETBACK** 11' 3.36 23'-10 1/4" **EXISTING** 7.27 m 3'-11 1/4" 1.20 m 17'-1 1/4" INTERIOR YARD SETBACK ____ 5.22 m 2'-41/2" 0.72 m В 81'-3" 24.77 m PROJECT **Committee of Adjustment** 45 BOWER ST. **BOWER ST.** Received | Reçu le DRAWING TITLE SITE PLAN 2024-07-29 SCALE City of Ottawa | Ville d'Ottawa C. HRUSHKA 1/8" = 1'-0" Comité de dérogation SITE PLAN DATE METRIC BAR SCALE SCALE: 1/8" = 1'-0" **A**1 2024-07-25



Committee of Adjustment Received | Reçu le

2024-07-29

City of Ottawa | Ville d'Ottawa Comité de dérogation





PROJECT

45 BOWER ST.

DRAWING TITLE

EXTERIOR RENDERINGS

SHEET

N.T.S.

DRAWN BY C. HRUSHKA

A2

2024-07-25

SCALE: N.T.S.










Committee of Adjustment Received | Reçu le

2024-07-29

City of Ottawa | Ville d'Ottawa

Comité de dérogation



CROSS SECTION
SCALE: 1/4" = 1'-0"