Distances shown on this plan are ground distances and can be converted to grid distances by multiplying by the combined scale factor of 0 99995.

Bearings are grid, derived from Can-Net 2016 Real Time Network GPS observations on reference points A and B, shown hereon, having a bearing of N21°43'10"W and are referenced to Specified Control Points 01919680105 and 019198434761, MTM Zone 9 (76°30' West Longitude) NAD-83 (original)

For bearing comparisons, a rotation of 0°38'00" counter-clockwise was applied to bearings on plan P1


Coordinates are derived from Can-Net 2016 Real Time Network GPS observations referenced to Specified Control Points 01919680105 and 0198434761, MTM Zone 9 (76°30' West Longitude) NAD-83 (original)

Coordinate values are to urban accuracy in accordance with O. Reg. 216/10.

. 01919680105	Northing	5024915 16	Easting	373971.65
. 019198434761	Northing	5036178.12	Easting	372436.11
. Point A	Northing	5031305.17	Easting	372976 49
. Point B	Northing	5031352.89	Easting	372957.50

Caution: Coordinates cannot, in themselves, be used to re-establish corners or boundaries shown on this plan





GOSSET

See Detail

STREET

04263

Committee of Adjustment

Received | Recu le

22 - 07 - 2024

City of Ottawa | Ville d'Ottawa

Comité de dérogation

PART I PLAN 4R-31319

PIN 04263-0068 N 21°43'10" W

2.00

PART

N 21°43'10" W

GOSSET

Detail - Scale 1:100

04263

10"

43'

 $P \mid N$

22

24.30 (PI)&Meas

STREET

04263 - 0071

LOT

(Inst. GL67701)

19.96 (PI)8Meas.

22

IB(990)

3 / 3 / 9

PART

0068

SSIB(990)

(Reference Bearing)

0071

SCHEDULE PART PLAN LOT PIN Part of 22 23 Part of 04263-0068

I REQUIRE THIS PLAN TO BE

DEPOSITED UNDER THE

ONTARIO LAND SURVEYOR

PLAN 4R-31814

RECEIVED AND DEPOSITED DATE: Mar. 12/19

A. manulla-REPRESENTATIVE FOR LAND REGISTRAR FOR THE LAND TITLES DIVISION OF OTTAWA-CARLETON NO. 4.

PLAN OF SURVEY OF

PART OF LOT 22 **REGISTERED PLAN 23 CITY OF OTTAWA**

Surveyed by Annis, O'Sullivan, Vollebekk Ltd.

Scale 1:250

10 75 50 2.5 10 Metres

Metric

) ALLOWANCE BETWEEN SIONS 283 (OTTAWA FRONT)

ROAD

DISTANCES AND COORDINATES SHOWN ON THIS PLAN ARE IN METRES AND CAN BE CONVERTED TO FEET BY DIVIDING BY 0.3048.

Surveyor's Certificate

I CERTIFY THAT:

1. This survey and plan are correct and in accordance with the Surveys Act, the Surveyors Act and the Land Titles Act and the regulations made under them

2 The survey was completed on the day of

Ontario Land Surveyor

Notes & Legend

—□— Denotes Survey Monument Planted Survey Monument Found Standard Iron Bar SSIB Short Standard Iron Bar IB Iron Bar

(WIT) Witness

(AOG) Annıs, O'Sullıvan, Vollebekk Ltd

Meas Measured (P1) Plan 4R-31319





ANNIS, O'SULLIVAN, VOLLEBEKK LTD.

14 Concourse Gate, Suite 500 Nepean, Ont K2E 7S6 Phone: (613) 727-0850 / Fax: (613) 727-1079

Email Nepean@aovitd.com Land Surveyors Job No. 17708-19 BMI PiLit22 PI23 R F

REGISTERED






GENERAL NOTES: - E. & O.E.


- DO NOT SCALE DRAWINGS. FIGURED DIMENSIONS ONLY TO BE USED

- IT IS THE RESPONSIBILITY OF THE CONTRACTOR
TO CHECK & VERIFY ALL DIMENSIONS ON SITE &

REPORT ALL DISCREPANCIES
- GENERAL CONTRACTOR TO CONSTRUCT IN

- GENERAL CONTRACTOR TO CONSTRUCT IN ACCORDANCE w/ THE O.B.C. 2012,ANY MUNICIPAL BY LAWS & ALL OTHER APPLICABLE CODES





- E. & O.E.

- DO NOT SCALE DRAWINGS. FIGURED DIMENSIONS ONLY TO BE USED

- IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO CHECK & VERIFY ALL DIMENSIONS ON SITE & REPORT ALL DISCREPANCIES

- GENERAL CONTRACTOR TO CONSTRUCT IN

ACCORDANCE w/ THE O.B.C. 2012, ANY MUNICIPAL BY LAWS & ALL OTHER APPLICABLE CODES

IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO CHECK & VERIFY THE WINDOW AND DOOR DIMENSIONS ALONG WITH WINDOW TYPE AND SWING WITH THE DRAWINGS AND CONDITIONS ON SITE & REPORT ALL DISCREPANCIES TO DESIGNER PRIOR TO PUTTING WINDOW & DOOR ORDER INTO PRODUCTION

MATERIALS USED & CONSTRUCTION PROCEDURE MUST CONFORM TO: 1. SPECIFICATIONS & NOTES SHOWN ON THIS DRAWING 2. NOTES & DETAILS SHOWN ON STRUCTURAL DRAWINGS 3. PROVISIONS IN PART 9 OF O.B.C. 2012

2 PLY MOD BITUMOUS FLAT ROOF MEMBRANE IS 'SOMPREMA RESISTO' CONFORMING TO CCMC 13288-L EXTERIOR FINISH EIFS IS 'ADEX-MFS' SYSTEM CONFORMING TO CCMC 12913-R EXTERIOR FINISH CEMENT BOARD PANELING IS HARDIE PANEL HZ5 CONFORMING TO CCMC 12678-R

1353 GOSSET ST NOT FOR CONSTRUCTON

DESIGN & DRAFTING

SG
CHECKER BY:
MV

MY

222, 20

DESIGN & DRAFTING

MAY 22, 20


DESIGN & DRAFTING

MY

MV 613-808-7185 /// 613-884-7068 NO. REVISION DATE

FRONT ELEVATION

1/4" = 1'-0" e name: 1353 GOSSET ST A4.0



- E. & O.E.

- DO NOT SCALE DRAWINGS. FIGURED DIMENSIONS ONLY TO BE USED

- IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO CHECK & VERIFY ALL DIMENSIONS ON SITE & REPORT ALL DISCREPANCIES

- GENERAL CONTRACTOR TO CONSTRUCT IN

ACCORDANCE w/ THE O.B.C. 2012, ANY MUNICIPAL BY LAWS & ALL OTHER APPLICABLE CODES

2 PLY MOD BITUMOUS FLAT ROOF MEMBRANE IS 'SOMPREMA RESISTO' CONFORMING TO CCMC 13288-L

> EXTERIOR FINISH EIFS IS 'ADEX-MFS' SYSTEM CONFORMING TO CCMC 12913-R

EXTERIOR FINISH CEMENT BOARD PANELING IS HARDIE PANEL HZ5 CONFORMING TO CCMC 12678-R




LEFT ELEVATION

1/4" = 1'-0" E NAME: 1353 GOSSET ST A4.1

IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO CHECK & VERIFY THE WINDOW AND DOOR DIMENSIONS ALONG WITH WINDOW TYPE AND SWING WITH THE DRAWINGS AND CONDITIONS ON SITE & REPORT ALL DISCREPANCIES TO DESIGNER PRIOR TO PUTTING WINDOW & DOOR ORDER INTO PRODUCTION

MATERIALS USED & CONSTRUCTION PROCEDURE MUST CONFORM TO: 1. SPECIFICATIONS & NOTES SHOWN ON THIS DRAWING 2. NOTES & DETAILS SHOWN ON STRUCTURAL DRAWINGS 3. PROVISIONS IN PART 9 OF O.B.C. 2012



- E. & O.E.

- DO NOT SCALE DRAWINGS. FIGURED DIMENSIONS ONLY TO BE USED

- IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO CHECK & VERIFY ALL DIMENSIONS ON SITE & REPORT ALL DISCREPANCIES

- GENERAL CONTRACTOR TO CONSTRUCT IN

ACCORDANCE w/ THE O.B.C. 2012, ANY MUNICIPAL BY LAWS & ALL OTHER APPLICABLE CODES


IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO CHECK & VERIFY THE WINDOW AND DOOR DIMENSIONS ALONG WITH WINDOW TYPE AND SWING WITH THE DRAWINGS AND CONDITIONS ON SITE & REPORT ALL DISCREPANCIES TO DESIGNER PRIOR TO PUTTING WINDOW & DOOR ORDER

INTO PRODUCTION

MATERIALS USED & CONSTRUCTION PROCEDURE MUST CONFORM TO: 1. SPECIFICATIONS & NOTES SHOWN ON THIS DRAWING 2. NOTES & DETAILS SHOWN ON STRUCTURAL DRAWINGS 3. PROVISIONS IN PART 9 OF O.B.C. 2012


CONFORMING TO CCMC 13288-L EXTERIOR FINISH EIFS IS 'ADEX-MFS' SYSTEM CONFORMING TO CCMC 12913-R EXTERIOR FINISH CEMENT BOARD PANELING IS HARDIE PANEL HZ5 CONFORMING TO CCMC 12678-R

2 PLY MOD BITUMOUS FLAT ROOF MEMBRANE IS 'SOMPREMA RESISTO'



REAR ELEVATION

1/4" = 1'-0" ILE NAME: 1353 GOSSET ST A4.2



- E. & O.E.

613-808-7185 /// 613-884-7068

- DO NOT SCALE DRAWINGS. FIGURED DIMENSIONS ONLY TO BE USED

- IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO CHECK & VERIFY ALL DIMENSIONS ON SITE &

REPORT ALL DISCREPANCIES - GENERAL CONTRACTOR TO CONSTRUCT IN

ACCORDANCE w/ THE O.B.C. 2012, ANY MUNICIPAL BY LAWS & ALL OTHER APPLICABLE CODES

IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO CHECK & VERIFY THE WINDOW AND DOOR DIMENSIONS ALONG WITH WINDOW TYPE AND SWING WITH THE DRAWINGS AND CONDITIONS ON SITE & REPORT ALL DISCREPANCIES TO DESIGNER PRIOR TO PUTTING WINDOW & DOOR ORDER INTO PRODUCTION


MATERIALS USED & CONSTRUCTION PROCEDURE MUST CONFORM TO: 1. SPECIFICATIONS & NOTES SHOWN ON THIS DRAWING 2. NOTES & DETAILS SHOWN ON STRUCTURAL DRAWINGS 3. PROVISIONS IN PART 9 OF O.B.C. 2012

CONFORMING TO CCMC 13288-L EXTERIOR FINISH EIFS IS 'ADEX-MFS' SYSTEM CONFORMING TO CCMC 12913-R EXTERIOR FINISH CEMENT BOARD PANELING IS HARDIE PANEL HZ5 CONFORMING TO CCMC 12678-R

NO. REVISION

DATE

2 PLY MOD BITUMOUS FLAT ROOF MEMBRANE IS 'SOMPREMA RESISTO'



RIGHT ELEVATION

1/4" = 1'-0" e name: 1353 GOSSET ST A4.3