

KEY QTY	BOTANICAL NAME	COMMON NAME	SIZE	CONDITION	REMARKS	
TREES						
AM 14 FM 3 GB 1 HB 2 JJL 14 MM 2 MP 2 MS 2 SM 1	Acer ginnala Acer x freemanii Ginkgo biloba Celtis occidentalis Syringa reticulata Malus 'Makamik' Malus 'Profusion' Malus 'Snowdrift' Acer saccharum	Amur Maple Freeman's Maple Maidenhair Tree Hackberry Japanese Tree Lilac Makamik Crabapple Profusion Crabapple Snowdrift Crabapple Sugar Maple	50mm cal. 50mm cal. 50mm cal. 50mm cal. 50mm cal. 50mm cal. 50mm cal. 50mm cal.	B&B B&B B&B B&B B&B B&B B&B B&B B&B	Single leader  Male tree  Single leader	
SHRUE						
JV 23	Juniperus virginiana	Eastern Red Cedar	1800mm ht.	Potted	Space 1200mm o.c	

NOTE: SMALL TREES HAVE BEEN PROPOSED WHERE NECESSARY DUE TO THE PRESENCE OF OVERHEAD WIRES. PROPOSED TREE SELECTION HAS ALSO TAKEN TRANSPORT CANADA, SAFETY AND SECURITY AND AERODROME SAFETY BRANCH'S "ORNAMENTAL TREES AND SHRUBS ATTRACTIVE TO BIRDS" LIST INTO CONSIDERATION.



CONSULTANTS

739 RIDGEWOOD AVE., UNIT 201 DTTAWA. ONTARIO. K1V 6M8

LEGEND

EXTENT OF CRZ EXISTING TREE TO REMAIN

EXISTING TREE TO BE REMOVED

**40 YEAR CANOPY PROJECTION** PROPOSED DECIDUOUS TREE -REQUIRED SOIL VOLUME (30m3 FOR LARGE TREES , 20m3 FOR SMALL TREES)

PROPOSED SHRUBS

TREE PROTECTION FENCE

PROPOSED SOD

PROPOSED SHADE TOLERANT ANNUALS BY OWNER

PROPOSED PRECAST CONCRETE

PROPOSED 18 SPACE BIKE RACK

PROPOSED BENCH

## **GENERAL NOTES:**

1. It is the responsibility of the appropriate contractor or official to report any errors, omissions or discrepancies on this plan with actual site conditions to the Landscape Architect before proceeding with construction.

2. The contractor is to notify all utility companies and authorities prior to any excavation and ascertain locations of underground services.

3. The contractor is to reinstate all areas and items damaged as a result of construction activity. 4. The contractor is to comply with all pertinent codes and

5. The contractor is to maintain a positive surface run-off throughout the entire construction period.

6. The Landscape Architect is not responsible for subsurface

7. The contractor is to identify all existing trees to remain on site with the Landscape Architect prior to construction.

8. The contractor is to stake the proposed location of all

prior to excavation 9. Minimum distances for selected deciduous trees are as

Building Foundations 7.5m Sidewalks 1.5m

Underground Infrastructure 1.5m

Public Streets 2.5m

10. All trees within 1m of underground utility trenches are to be excavated by hand.

11. Remove all protective wrapping from tree trunks after

12. Staking of trees shall only be performed if necessary.

13. Ensure that mulch is pulled back a min. distance of


75mm from base of tree trunk. 09/23/2024 ML J 8 REVISED PER NEW SITE PLAN

٠	THE VIOLET ETTILL VIOLET ETTIL			-
7	REVISED PER CITY COMMENTS	08/21/2024	ML	JL
6	ISSUED FOR TENDER	08/13/2024	ML	JL
5	ISSUED FOR PRELIMINARY COSTING	07/26/2024	ML	JL
4	35 TREES PROPOSED	07/24/2024	ML	JL
3	ISSUED FOR BUILDING PERMIT	07/11/2024	ML	JL
2	REVISED PER CITY COMMENTS	06/17/2024	ML	JL
1	ISSUED FOR SITE PLAN CONTROL	12/20/2023	ML	JL
No.	Issue	Date	DR	СК

JAMES B. LENNOX & ASSOCIATES INC. LANDSCAPE ARCHITECTS 3332 CARLING AVE. OTTAWA, ONTARIO Tel. (613) 722-5168 Fax. 1(866) 343-3942

COSTCO HEADQUARTERS EXPANSION 415 WEST HUNT CLUB ROAD, OTTAWA ON

TREE CONSERVATION REPORT & LANDSCAPE PLAN



AS SHOWN

RAWING NO.

TART DATE OCTOBER 2023

ROJECT NO. 23MIS2328

ROJECT NORTH

