

Replacement Tree Specifications

Note: Proposed tree locations are suggestions only and should be finalized only once construction is complete and should adhere to City of Ottawa Tree Planting Guidelines.

Trees 1-4 should be small trees at maturity due to the overhead wires running along Trenton. Site conditions are expected to be full light exposure and moderate moisture availability. Species suggestions include:


- Choke cherry - *Prunus virginiana*
- Eastern redbud - *Cercis canadensis**
- Yellowwood - *Cladtrastis lutea*
- Flowering dogwood - *Cornus florida*
- Thornless Hawthorn (*Crataegus crus-galli*)*
- Magnolia - *Magnolia spp.*
- Eastern redcedar - *Juniperis virginiana**
- Crabapple - *Malus spp.*
- Serviceberry - *Amelanchier spp.**
- Ohio buckeye - *Aesculus glabra**
- Pagoda dogwood - *Cornus alternifolia**
- Witch hazel - *Hamamelis virginiana**

*Native to Ottawa region: Planting species native to a region can help maintain and enhance biodiversity.

Note: Norway maple (*Acer platanoides*) is *not* recommended as it is highly invasive and not a suitable tree for urban planting.



The species recommended herein are the most suitable species based on the existing plans. For best success, tree species should be matched to site conditions.

All deciduous trees must be a minimum of 50 mm in diameter measured no less than 15 cm above ground level. Coniferous trees must be no less than 200 cm in height.



Tree Planting Plan – 1260-1270 Trenton Avenue
Prepared by Dendron Forestry Services
Version 1.0, February 20, 2025
For more information, please contact:
info@dendronforestry.ca

Note: the tree layer has been added to the original site plan supplied by the client in pdf format. This layer refers to the trees only, and the original plan has not been altered in the process. Refer to the original plan for details as quality is lost when importing the plan into the mapping software used to create the tree layer.



- KEY SPACING GUIDELINES**
- For Deciduous Trees:**
- Minimum 50mm caliper stock
 - 1.5m from sidewalks, driveways, walkways, fences, sound walls, and old stumps.
 - 2.5m from curbs, hydro transformers, or behind fire hydrants
 - 4-7m from any part of an existing tree, depending on canopy width
 - 10m from bus shelters and community mailboxes
- For Coniferous Trees:**
- Follow same setbacks as deciduous, but due to the widest branching being at the base of the tree, conifers need greater setbacks for ground-level obstacles.
 - Minimum 200cm height stock
 - 4.5m setbacks from sidewalks, walkways, driveways, and curbs.
 - Do not plant on corners where sight lines will be compromised.

TREES MUST BE WATERED REGULARLY FOLLOWING PLANTING TO ENSURE PROPER ESTABLISHMENT.
On average, a young tree needs 6 gallons (24 liters) of water twice per week. (Do not water using a sprinkler as water on the foliage can lead to fungal infection)
Placing a ring of mulch around the planting hole will help reduce water loss. Ensure no mulch is touching the base of the tree.

Legend

- Existing Tree to be retained
- New Tree either fully or partly on city property