

Document 2 - Community Safety Zone (CSZ) Signage

1. Regulatory Community Safety Zone (CSZ) Sign Image and Dimensions

a. Signage installed to identify beginning of a CSZ:



Figure 1 - Image of Bilingual CSZ Begins Sign

b. Signage installed to identify the end of a CSZ:



Figure 2 - Image of Bilingual Community Safety Zone Ends Sign

- c. Signage required at 300 metre intervals within the entire CSZ when it is 1,000 meters in length or longer:



Figure 3 - Image of "Interval" Bilingual Community Safety Zone Sign

2. On-site Photographs of Mock-Up CSZ Signage

a. CSZ Signage Accommodated

The location in the image below is an example of a location that can accommodate the required CSZ signage. As identified by the red circles superimposed on the image, signage can be installed on both sides of the roadway within the boulevard. The signage does not encroach on the roadway, the sidewalk, or on private



property.

Figure 4 – Image of Meadowlands Drive West eastbound at Thatcher Street. The red circles superimposed on either side of the roadway identify acceptable locations for the installation of Community Safety Zone signage.

b. CSZ Signage Not Accommodated

The location in the image below is an example of a location that cannot accommodate the required CSZ signage. As identified by the red circles superimposed on the image on both sides of the roadway, CSZ signage would encroach on the sidewalk, which would impact the safe mobility of pedestrians.



Figure 5 – Image of Bank Street southbound between Euclid Avenue and Sunnyside Avenue. The red circles superimposed on the image on either side of the roadway demonstrate that Community Safety Zone signage would impact safe mobility of pedestrians as the signs encroach onto the sidewalk.