



Expansion lands also form part of this Annex, and an adjustment to this map will be undertaken at a later time to add these lands. In the interim the expansion lands are shown on Schedule C17 - Urban Expansion Areas

Les terrains de la zone d'extension font aussi partie de cette annexe: on mettra au point cette carte à une date ultérieure, pour y ajouter ces terrains. D'ici là, les terrains de la zone d'extension sont représentés dans l'annexe C17 - Zones d'expansion urbaine.

DRAFT

July 27, 2021



- TRANSIT**
- Protected Major Transit Station Areas (PMTSA) / Zones protégées de grande station de transport en commun
 - Urban Boundary / Périmètre d'urbanisation
 - O-Train and Station / O-Train et station
 - Future O-Train / O-Train et station (futur)
 - Transitway – grade separated / Transitway en site propre
 - Transitway – at grade / Transitway – Voie à niveau
 - Conceptual Future Transit Corridor / Avenir conceptuel - Couloir de transport en commun
 - Transfer Station / Station de correspondance
 - Terminus Station / Station terminus

Gatineau RapiBus - grade-separated / RapiBus de Gatineau en site propre


Note: The transit network on this Schedule is provided for reference purposes only. For transit network policy, please refer to Schedule C2. / Remarque : Les renseignements relatifs au réseau de transport en commun qui sont présentés dans cette annexe sont fournis à titre de référence. Pour consulter les politiques du réseau de transport, veuillez vous référer à l'annexe C2.




Official Plan / Plan officiel

Schedule C1 - Protected Major Transit Station Areas (PMTSA)
Annexe C1 - Zones protégées de grande station de transport en commun

Consolidation and Amendments / Consolidation et amendements





Note: The Protected Transportation Corridor designation that applies to rail lines extends to the City limits for all rail lines. /
 Nota : La désignation « couloir de transport protégé » qui s'applique aux voies ferrées s'étend jusqu'aux limites de la ville pour toutes les voies ferrées ainsi désignées.

Expansion lands also form part of this Annex, and an adjustment to this map will be undertaken at a later time to add these lands. In the interim the expansion lands are shown on Schedule C17 - Urban Expansion Areas /
 Les terrains de la zone d'extension font aussi partie de cette annexe; on mettra au point cette carte à une date ultérieure, pour y ajouter ces terrains. D'ici là, les terrains de la zone d'extension sont représentés dans l'annexe C17 - Zones d'expansion urbaine.

DRAFT
 July 27, 2021

**RAPID TRANSIT
 TRANSIT LEVEL OF SERVICE 'A'**

- O-Train - Grade Separated Crossings
- Transitway - Grade Separated Crossings

TRANSIT LEVEL OF SERVICE 'B'

- O-Train - At-Grade Crossings
- Transitway - At-Grade Crossings

TRANSIT PRIORITY

- Transit Priority Corridor

**TRANSPORT EN COMMUN RAPIDE
 NIVEAU DE SERVICE A**

- O-Train - passages étagés
- Transitway - passages étagés

NIVEAU DE SERVICE B

- O-Train - passages à niveau
- Transitway - passages à niveau

PRIORITÉ AU TRANSPORT EN COMMUN

- Corridor donnant priorité au transport en commun

*Note: The intensity of transit priority (e.g., continuous bus lanes or isolated transit priority measures) shall be as designated in the Transportation Master Plan.

*Nota : D'autres renseignements sur la priorité accordée au transport en commun (p. ex. voies d'autobus continues ou mesures prioritaires de transport en commun isolées) seront publiés dans le Plan directeur des transports.

- Park and Ride
- O-Train Station
- Transitway Station
- Conceptual Future Transit Corridor
- Protected Transportation Corridor
- Inter-regional Stations
- Rail Yard
- Rail Corridor
- Gatineau RapiBus - grade-separated
- Parc-O-Bus
- Station de l'O-Train
- Station de la Transitway
- Avenir conceptuel - Couloir de transport en commun
- Couloir de transport protégé
- Stations interrégionales
- Cour de tirage pour trains
- Couloir ferroviaire
- Rapibus de Gatineau en site propre





Official Plan / Plan officiel

Schedule C2 - Transit Network
 ULTIMATE

Annexe C2 – Réseau de Transport
 ABSOLU

Consolidation and Amendments / Consolidation et amendements





Note:
 1) This schedule should be read in conjunction with the Transportation Master Plan and Active Transportation Plan for a more comprehensive understanding of the entire network.
 2) All arterial and collector roads in the urban area are designated cycling routes that will, over time, be upgraded with appropriate cycling facilities. Please refer to Section 4.1 Mobility.
 3) Please also refer to GeoOttawa cycling layer for detailed route location information.

Nota :
 1) La présente annexe doit être lue de concert avec le Plan directeur des transports et le Plan de transport actif pour obtenir une meilleure compréhension du réseau dans son ensemble.
 2) Toutes les artères et routes collectrices du secteur urbain sont désignées en tant que voies cyclables. Au fil du temps, elles seront modernisées en y ajoutant les installations cyclables appropriées. Veuillez consulter la section 4.1 – Mobilité.
 3) Veuillez vous reporter à la carte Vélo dans GeoOttawa pour des renseignements détaillés sur l'emplacement des pistes.

DRAFT
 July 15, 2021

Expansion lands also form part of this Annex, and an adjustment to this map will be undertaken at a later time to add these lands. In the interim the expansion lands are shown on Schedule C17 - Urban Expansion Areas
 Les terrains de la zone d'extension font aussi partie de cette annexe; on mettra au point cette carte à une date ultérieure, pour y ajouter ces terrains. D'ici là, les terrains de la zone d'extension sont représentés dans l'annexe C17 - Zones d'expansion urbaine.


Major Pathway ——— Sentier principal



Ottawa

Official Plan / Plan officiel
 Schedule C3 - Active Transportation Network
 URBAN - MAJOR PATHWAYS
 Annexe C3 – Réseau de transport actif
 PRINCIPAUX SENTIERS URBAINS

Consolidation and Amendments / Consolidation et amendements




Expansion lands also form part of this Annex, and an adjustment to this map will be undertaken at a later time to add these lands. In the interim the expansion lands are shown on Schedule C17 - Urban Expansion Areas

Les terrains de la zone d'extension font aussi partie de cette annexe; on mettra au point cette carte à une date ultérieure, pour y ajouter ces terrains. D'ici là, les terrains de la zone d'extension sont représentés dans l'annexe C17 - Zones d'expansion urbaine.

This schedule forms part of the Official Plan of the City of Ottawa and must be read in conjunction with the text and other schedules in this plan. The location of collectors streets and roads may be modified without amendment to this plan. Provincial highways and federal roads are shown for information purposes only. This schedule is intended as a framework for planning and design; consequently, alignments of proposed roads are approximate and subject to detailed study. /

Cette annexe, qui fait partie du Plan officiel de la Ville d'Ottawa, doit être lue à la lumière du texte et des autres annexes du Plan. On peut changer la localisation des rues collectrices et des routes sans apporter de modification à ce plan. Les autoroutes provinciales et les routes fédérales sont représentées pour information seulement. Cette annexe se veut une structure-cadre pour la planification et la conception; c'est pourquoi les tracés des routes proposées sont approximatifs et subordonnés à une analyse détaillée.



DRAFT

July 15, 2021

- | | | | | | | |
|---------------------------------------|--|---|--|----------------------|--|------------------------------|
| Arterial - Existing | | Artère - Établie | | Provincial Highway | | Route provinciale |
| Arterial - Future (alignment defined) | | Artère - Future (alignement déterminée) | | Federally Owned Road | | Chemins de propriété fédéral |
| Major Collector - Existing | | Grande collectrice - Établie | | City Freeway | | Autoroute municipale |
| Major Collector - Future | | Grande collectrice - Future | | | | |
| Collector - Existing | | Collectrice - Établie | | | | |
| Collector - Future | | Collectrice - Future | | | | |
| River Crossing (corridor undefined) | | Traversée de rivière (couloir non défini) | | | | |



Official Plan / Plan officiel

Schedule C4 - Urban Road Network
Annexe C4 – Réseau routier urbain

Consolidation and Amendments / Consolidation et amendements




DRAFT

July 15, 2021

City of / Ville de
GATINEAU

Note:
1) This schedule includes some lands adjacent to the Central Area that are designated Inner Urban Transect.

Note:
1) Cette annexe englobe des terrains contigus à l'aire centrale qui portent la désignation Transect Secteur urbain intérieur.



0 0.125 0.25 0.5 0.75 1 km



Consolidation and Amendments / Consolidation et amendements

- | | | |
|---|---------|--|
| Provincial Highway | — | Route provinciale |
| Federally Owned Road | — | Chemins de propriété fédéral |
| Arterial - Existing | — | Artère - Établie |
| Arterial - Proposed (alignment defined) | - - - - | Artère - Proposé (alignement déterminée) |
| Major Collector - Existing | — | Grande collectrice - Établie |
| Collector - Existing | — | Collectrice - Établie |



Official Plan / Plan officiel

Schedule C5 - Downtown Core Road Network


Annexe C5 - Réseau routier de Centreville

Planning, Infrastructure and Economic Development Department, Geospatial Analytics, Technology and Solutions
Services de la planification, de l'infrastructure et du développement économique, Analyse géospatiale, technologie et solutions




Official Plan / Plan officiel

Schedule C6-A - Views, Viewsheds, and View Sequences of the Parliament Buildings and other National Symbols
Annexe C6-A - Vues principales, Zones de visibilité et séquence de vues édifices du Parlement et autres symboles nationaux



- CENTRAL**
- Key Viewpoints Point de vue principal
 - Key Views Vues principales
 - View Sequence Séquence
 - Views of Centre Block from Public Right-of-Way Vues de l'édifice du Centre depuis l'emprise publique
 - Area of Foreground Height Control Secteur de contrôle de la hauteur en avant-plan
 - Area of Background Height Control Secteur de contrôle de la hauteur en arrière-plan
 - Body of Water Plan d'eau
 - Railway Voie ferrée
 - Central Area Boundary Limite de l'aire centrale
 - City Boundary Limite municipale



- CIMETIÈRE BEECHWOOD CEMETERY**
- Beechwood Viewshed Area Zone de visibilité
 - Roofline of Centre Block Ligne de toiture de l'édifice du Parlement
 - Parliament Foreground Avant-plan du Parlement
 - Parliament Background Arrière-plan du Parlement

- 1** Tommy Douglas Memorial/Monument à Tommy Douglas
x=369942.643 MTM; y=5034287.312 MTM; z=77.12 metres above sea level/au-dessus du niveau de la mer
- 2** Poet's Hill/L'aire des poètes
x=369894.987MTM; y=5034282.346MTM; z=75.19 metres above sea level/au-dessus du niveau de la mer
- 3** Roofline of Centre Block/Ligne de toiture de l'édifice du Parlement
115 metres above sea level/ 115 mètres au-dessus du niveau de la mer
Base of Centre Block/Base de l'édifice du Parlement
88.2 metres above sea level/ 88,2 mètres au-dessus du niveau de la mer
- 4** Centreline extension of Bronson Avenue/ Prolongement de l'axe longitudinal de l'avenue Bronson

Consolidation and Amendments / Consolidation et amendements

DRAFT
Sept 16, 2021




Official Plan / Plan officiel

Schedule C6-B - Central Area Maximum Building Heights /
Angular Planes
Annexe C6-B - Hauteur maximale des immeubles dans l'aire central /
Plans de hauteur angulaire



Blocks Where Building Heights Limited to
Angular Planes defined by Perimeter A.S.L. Heights
Quadrilatères où la hauteur des immeubles est
limitée aux plans de hauteur angulaire déterminés
par la hauteur ASL du périmètre



Block Perimeter A.S.L. Heights in Meters
Hauteur ASL du périmètre du
quadrilatère en mètres

Note: Building Heights are limited by an Angular Height Plane that is defined for each block by Perimeter A.S.L. (Above Sea Level) Heights. To exceed the Angular Height Planes shown requires an Amendment to this Schedule.

Note : La hauteur des immeubles est limitée par un plan de hauteur angulaire déterminé par la hauteur au-dessus du niveau de la mer (ASL) du périmètre dans le cas de chaque quadrilatère. Une modification devra être apportée au présent plan pour autoriser une hauteur supérieure aux plans de hauteur angulaire indiqués.

SURVEYOR'S CERTIFICATE

In support of Policy 4.6.2(1), the City shall:

- i) require at the time of submission of a building permit application for development of lands where an angular building height limit applies as shown on Schedule C6B, the filing of a surveyor's certificate at the request of the Chief Building Official certifying that the proposed finished elevation above sea level of the proposed building or structure, or any part of either of them, does not exceed the angular building height limit shown on Schedule C6B; and
- ii) where a surveyor's certificate was requested by the Chief Building Official, as set out in i) above, require upon completion of the proposed building or structure, a surveyor's certificate certifying the actual above sea level elevation of the roof surface of the building or structure and of any part of either of them.


ATTESTATION D'ARPENTEUR

Aux termes de la politique 4.6.2(1), la Ville doit :

- i) exiger, lors d'une demande de permis de construire faite en vue de l'aménagement d'un terrain où s'appliquent des restrictions de hauteur d'immeuble, tel qu'illustré à l'Annex C6B, la mise au dossier d'une attestation d'arpenteur à la demande du chef du service du bâtiment, certifiant que l'élévation au-dessus du niveau de la mer de l'immeuble ou de la structure proposé, ou de tout élément de ceux-ci, n'excède pas la hauteur angulaire figurant à l'Annex C6B; et
- ii) lorsqu'une attestation d'arpenteur a été demandée par le chef du service du bâtiment, tel que stipulé plus haut, exiger, à la fin de la construction de l'immeuble ou de la structure proposé, une attestation d'arpenteur certifiant l'élévation effective au-dessus du niveau de la mer du toit de l'immeuble ou de la structure et de tout élément de ceux-ci.



Consolidation and Amendments / Consolidation et amendements




Planning, Infrastructure and Economic Development Department,
Geospatial Analytics, Technology and Solutions
Services de la planification, de l'infrastructure et du développement économique,
Analyse géospatiale, technologie et solutions

DRAFT




Sept 7, 2021

DRAFT

July 20, 2021



DESIGN PRIORITY AREAS / SECTEURS PRIORITAIRES DE CONCEPTION

-  Design Priority Area / Secteur prioritaire de conception
-  Corridor - Mainstreet within Design Priority Area
-  Corridor - Minor within Design Priority Area



Official Plan / Plan officiel


Schedule C7-A - Design Priority Areas - Urban
Annexe C7-A - Secteurs prioritaires de conception - Urbain

Consolidation and Amendments / Consolidation et amendements



DRAFT

July 15, 2021



Official Plan / Plan officiel

Schedule C7-B - Design Priority Areas - Villages
Annexe C7-B - Secteurs prioritaires de conception - Villages



McNAB/
BRAESIDE

MISSISSIPPI
MILLS

BECKWITH

MONTAGUE

City of / Ville de
GATINEAU

SEE SCHEDULE C3
VOIR ANNEXE C3

SEE SCHEDULE C3
VOIR ANNEXE C3

SEE SCHEDULE C3
VOIR ANNEXE C3

NORTH
DUNDAS

NORTH
GRENVILLE

CLARENCE-
ROCKLAND

THE
NATION

RUSSELL

Expansion lands also form part of this Schedule, and an adjustment to this map will be undertaken at a later time to add these lands. In the interim the expansion lands are shown on Schedule C17 - Urban Expansion Areas

Les terrains de la zone d'expansion font aussi partie de cette annexe; on mettra au point cette carte à une date ultérieure, pour y ajouter ces terrains. D'ici là, les terrains de la zone d'expansion sont représentés dans l'annexe C17 - Zones d'expansion urbaine.

Note:

- 1) This schedule is not to be interpreted to show jurisdiction or responsibility.
- 2) This schedule is intended as a framework for planning and design; consequently alignment of proposed roads and pathways are approximate and subject to detailed study.
- 3) Crossings of Highways 416 or 417 require approval of the Ontario Ministry of Transportation.
- 4) Please also refer to GeoOttawa cycling layer for detailed route location information.
- 5) All arterial and collector roads in the urban area and in villages are designated cycling routes that will, over time, be upgraded with appropriate cycling facilities. Please refer to Section 4.1 Mobility.

Nota:

- 1) La présente annexe ne révèle aucunement l'administration chargée de l'aménagement, ni aucune responsabilité à cet égard.
- 2) La présente annexe doit servir de guide en matière de planification et de conception; il s'ensuit que le tracé des routes régionales et des sentiers proposés n'est qu'approximatif et donnera lieu à une étude plus approfondie.
- 3) Les intersections avec les autoroutes 416 et 417 doivent être approuvées par le ministère des Transports de l'Ontario.
- 4) Veuillez vous reporter à la carte Vélo dans GeoOttawa pour des renseignements détaillés sur l'emplacement des pistes.
- 5) Toutes les artères et routes collectrices du secteur urbain et des villages sont désignées en tant que voies cyclables qui seront progressivement modernisées grâce à l'ajout d'installations cyclables appropriées. Veuillez consulter la section 4.1 – Mobilité.

Major Pathway — Sentier principal

DRAFT

July 15, 2021

Official Plan / Plan officiel

Schedule C8 - Active Transportation Network

RURAL CYCLING ROUTES

Annexe C8 – Réseau de transport actif


PISTES CYCLABLES RURALES

Consolidation and Amendments / Consolidation et amendements



2.5 1.25 0 2.5 5 7.5 10 Kilometers

Planning, Infrastructure and Economic Development Department, Geospatial Analytics, Technology and Solutions
Services de la planification, de l'infrastructure et du développement économique, Analyse géospatiale, technologie et solutions



Expansion lands also form part of this Schedule, and an adjustment to this map will be undertaken at a later time to add these lands. In the interim the expansion lands are shown on Schedule C17 - Urban Expansion Areas

Les terrains de la zone d'extension font aussi partie de cette annexe; on mettra au point cette carte à une date ultérieure, pour y ajouter ces terrains. D'ici là, les terrains de la zone d'extension sont représentés dans l'annexe C17 - Zones d'expansion urbaine.

Existing Highway		Route Établie
Arterial - Existing		Artère - Établie
Arterial - Proposed (alignment defined)		Artère - Proposé (alignement déterminée)
Collector - Existing		Collectrice - Établie
Collector - Proposed		Collectrice - Proposé
New Interchange		Nouvel échangeur

DRAFT


July 15, 2021


Official Plan / Plan officiel



Schedule C9 - Rural Road Network
Annexe C9 - Réseau routier rural

Consolidation and Amendments / Consolidation et amendements





Arterial - Existing		Artère - Établie
Collector - Existing		Collectrice - Établie
Collector - Proposed		Collectrice - Proposé

Consolidation and Amendments / Consolidation et amendements

DRAFT

July 15, 2021




Official Plan / Plan officiel

Schedule C10 - Road Network - Select Villages
Annexe C10 – Réseau routier - villages choisis

Planning, Infrastructure and Economic Development Department, Geospatial Analytics, Technology and Solutions
Services de la planification, de l'infrastructure et du développement économique, Analyse géospatiale, technologie et solutions

DRAFT

Sept 20, 2021



OVERLAYS / AFFECTATIONS SUPPLÉMENTAIRES


- Natural Heritage System Core Area / Secteur central du système du patrimoine naturel
- Natural Heritage System Linkage Area / Secteur de liaison du système du patrimoine naturel
- or Natural Heritage Features Overlay / Zone sous-jacente d'éléments du patrimoine naturel

SUB-DESIGNATIONS / SOUS-AFFECTATION

- Urban Natural Feature / Caractéristique naturelle urbaine
- Natural Environment Area / Zone écologique naturelle
- Significant Wetlands / Terres humides d'importance
- Conservation Area / Zone de conservation

OTHER / AUTRE


- Watercourse / Cours d'eau
- Road # / Route #
- Urban Area / Secteur urbain
- Village / Village
- Greenbelt / Ceinture de verdure




Official Plan / Plan officiel

Schedule C11-A - Natural Heritage System (West)
Annexe C11-A - Système du patrimoine naturel (Ouest)





Consolidation and Amendments / Consolidation et amendements







Planning, Infrastructure and Economic Development Department, Geospatial Analytics, Technology and Solutions
Services de la planification, de l'infrastructure et du développement économique, Analyse géospatiale, technologie et solutions








OVERLAYS / AFFECTATIONS SUPPLÉMENTAIRES

-  Natural Heritage System Core Area /
Secteur central du système du patrimoine naturel
-  Natural Heritage System Linkage Area /
Secteur de liaison du système du patrimoine naturel
-  or  Natural Heritage Features Overlay /
ou Zone sous-jacente d'éléments du patrimoine naturel

SUB-DESIGNATIONS / SOUS-AFFECTATION

-  Urban Natural Feature /
Caractéristique naturelle urbaine
-  Natural Environment Area /
Zone écologique naturelle
-  Significant Wetlands /
Terres humides d'importance
-  Conservation Area /
Zone de conservation

OTHER / AUTRE

-  Watercourse /
Cours d'eau
-  Urban Area /
Secteur urbain
-  Road # /
Route #
-  Village /
Village
-  Greenbelt /
Ceinture de verdure

DRAFT


Sept 20, 2021




Official Plan / Plan officiel





Schedule C11-B - Natural Heritage System (South)
Annexe C11-B - Système du patrimoine naturel (sud)

Consolidation and Amendments / Consolidation et amendements














OVERLAYS / AFFECTATIONS SUPPLÉMENTAIRES

-  Natural Heritage System Core Area / Secteur central du système du patrimoine naturel
-  Natural Heritage System Linkage Area / Secteur de liaison du système du patrimoine naturel
-  or  Natural Heritage Features Overlay / Zone sous-jacente d'éléments du patrimoine naturel

SUB-DESIGNATIONS / SOUS-AFFECTATION

-  Urban Natural Feature / Caractéristique naturelle urbaine
-  Natural Environment Area / Zone écologique naturelle
-  Significant Wetlands / Terres humides d'importance
-  Conservation Area / Zone de conservation

OTHER / AUTRE

-  Watercourse / Cours d'eau
-  Road # / Route #
-  Greenbelt / Ceinture de verdure
-  Urban Area / Secteur urbain
-  Village / Village

DRAFT
Sept 20, 2021




Official Plan / Plan officiel
Schedule C11-C - Natural Heritage System (East)
Annexe C11-C - Système du patrimoine naturel (Est)

Consolidation and Amendments / Consolidation et amendements



Expansion lands also form part of this Schedule, and an adjustment to this map will be undertaken at a later time to add these lands. In the interim the expansion lands are shown on Schedule C17 - Urban Expansion Areas

Les terrains de la zone d'extension font aussi partie de cette annexe; on mettra au point cette carte à une date ultérieure, pour y ajouter ces terrains. D'ici là, les terrains de la zone d'extension sont représentés dans l'annexe C17 - Zones d'expansion urbaine.



DRAFT

Sept 14, 2021

SUB-DESIGNATIONS / SOUS-AFFECTATION


- Park / Parc
- Open Space / Espace vert
- Urban Natural Features / Caractéristique naturelle urbaine
- Significant Wetlands / Terres humides d'importance
- Conservation Area / Zone de conservation
- Greenbelt Natural Area / Aire naturelle de la Ceinture de verdure
- Greenbelt Natural Linkage / Lien naturel de la Ceinture de verdure
- Water Linkage / Cours d'eau de liaison
- Greenspace Destination / Espace vert de destination
- Greenbelt Transect Boundary / Limite de la Ceinture de verdure
- O-Train




Official Plan / Plan officiel

Schedule C12 - Urban Greenspace
Annexe C12 - Réseau urbain d'espaces verts


Consolidation and Amendments / Consolidation et amendements



City of / Ville de
GATINEAU



- Scenic Route / Route panoramique
- Scenic Capital Entry Route / Voies d'accès panoramiques à la capitale



See Urban Core Inset /
Voir la carte en médaillon « Centre urbain »

DRAFT

July 15, 2021


Official Plan / Plan officiel

Schedule C13 - Scenic Routes
Annexe C13 - Routes panoramiques











Ottawa

Consolidation and Amendments / Consolidation et amendements



Planning, Infrastructure and Economic Development Department, Geospatial Analytics, Technology and Solutions
Services de la planification, de l'infrastructure et du développement économique, Analyse géospatiale, technologie et solutions



-  Airport Vicinity Development Zone
Zone d'aménagement dans le voisinage de l'aéroport
-  25 Line (Composite of 25 NEF/NEP)
Ligne 25 (ensemble des courbes NEF et NEP 25)
-  35 Line (Composite of 35 NEF/NEP)
Ligne 35 (ensemble des courbes NEF et NEP 35)
-  Airport Zoning Regulations
Règlements de zonage applicables à de l'Aéroport
-  Airport Operating Influence Zone
Zone d'influence d'exploitation de l'aéroport

NOTE:
The boundaries of the Ottawa Airport Operating Influence Zone and the Airport Vicinity Development Zone, are not subject to interpretation and their precise locations should be read from a map at a scale of 1:50,000 available from the City of Ottawa and the Ottawa International Airport Authority.

NOTE:
Les limites de la Zone d'influence d'exploitation de l'aéroport Ottawa et de la Zone d'aménagement dans le voisinage de l'aéroport ne sont sujettes à aucune interprétation. Pour connaître leur emplacement exact, il faut se reporter à la carte qui les définit à une échelle de 1 : 50 000, que l'on peut se procurer auprès de la Ville d'Ottawa et de l'Administration de l'Aéroport International d'Ottawa.




Official Plan / Plan officiel

Schedule C14 - Land Use Constraints
Due to Aircraft Noise
Annexe C14 - Contraintes limitant l'utilisation
en raison du bruit des avions

Consolidation and Amendments / Consolidation et amendements

DRAFT

July 15, 2021



This schedule shows the general location of the flood plain. For confirmation of the location of the flood plain, please refer to the Flood Plain Overlay shown on the Zoning Map of the Zoning By-law.

Cette annexe montre l'emplacement général de la plaine inondable. Pour confirmer l'emplacement de la plaine inondable, veuillez vous reporter à la zone sous-jacente de plaine inondable indiquée sur la carte de zonage du Règlement de zonage.

Village		Village
Flood Plain		Zone inondable
Two Zone Flood Plain		Plain inondable en deux zones
Organic Soils		Sols organiques
Wellhead Protection Area (Vulnerability Scores)		Zone de protection des têtes de puits (Indices de vulnérabilité)
Municipal Surface Water Intake		Prise d'eau de surface municipale
Intake Protection Zone (Vulnerability Score 9)		Zones de protection des prises d'eau (Indice de vulnérabilité 9)
Intake Protection Zone (Vulnerability Score 8.1)		Zones de protection des prises d'eau (Indice de vulnérabilité 8.1)
Unstable Slopes		Terrains en pente instables

DRAFT

Sept 16, 2021



Official Plan / Plan officiel

Schedule C15 - Environmental Constraints
Annexe C15 - Contraintes Écologiques

Consolidation and Amendments / Consolidation et amendements



Schedule C16 – Road Classification and Rights-of-Way Protection

This Schedule describes road classifications for City streets and roads that, other than local streets and roads, are illustrated on Schedules C4, C5, C9 and C10. Rights-of-way protection requirements for various streets and roads are described in Table 1 of this annex. Additional policies on rights-of-way are also found in the following Sections 1.0 and 2.0 of this Annex.

1.0 – Classification Summary

The description that follows of the various classifications of streets and roads is not meant to be interpreted as an absolute standard or limit, which if varied, would automatically necessitate an amendment to this Plan. Rather, these characteristics are intended to act as benchmarks against which variations in any given situation can be assessed considering the relevant goals and objectives of this Plan. Section 4.1.3 of this Plan states under what circumstances an amendment is required for changes – additions or deletions – to certain identified road classifications on Schedules C4, C5, C9 and C10. Further reference to “roads”, “roadways”, etc. is intended to be inclusive of policy references to “streets”, “avenues” etc. The following descriptions provide an overview of classifications used in this Plan for existing and future City road rights-of-way:

City Highways

City highway describes a limited access highway with high-speed traffic that serves the need for intra-city travel similar to the provincial limited access highways. Highway 174 between Highway 417 (Queensway) and Trim Road in Orléans is the only city highway.

Arterials

Arterials are the major routes of the City’s transportation network that generally carry large volumes of traffic over the longest distances. The majority of these roads were formerly identified as regional roads. Access to arterials will depend on the network function and urban context, with block lengths and intersections spacing design to accommodate all transportation modes. Vehicular access to adjacent properties is usually controlled to minimize turning movements to reduce conflicts between travel modes and, in many situations, providing a high degree of connectivity between land uses and places along and across the route. For certain roads such as Airport Parkway, the City may apply different standards to development with regard to access and setbacks. It is recognised that the



arterial road system links to provincial and inter-provincial roads, which are all an integral part of the overall network.

Arterials function as major public and infrastructure corridors in the urban communities and villages they traverse. They not only accommodate private and commercial vehicles and public transit buses, but also serve other modes of travel including such as people walking and cycling as well as provide corridors for public infrastructure and utilities. Arterials, which include arterials identified as main streets, parkways, avenues, and rural roads, are public spaces that include a wide diversity of road functions. As a result, their design will vary depending on context and intended users. The roadway and its boulevard are therefore designed to meet the needs of these users through the provision, where appropriate, of such features as sidewalks, cycling facilities, and bus stops and shelters. In parts of the urban area and villages additional roadside features include street furniture, pedestrian-scale lighting, and trees and other landscaping. This greenery provides visual appeal, summer shade and a defining sense of the linear nature of these travel corridors. The planning of land uses and the local road network on lands adjacent to arterial roads should avoid the need for noise attenuation barriers or fencing along extensive lengths of roadway.

Major Collectors and Collectors

Major collectors and collectors connect communities and usually provide connections between arterial and local roads. These roads tend to be shorter and carry lower volumes of traffic than do arterials. Direct access to major collectors and collectors from adjacent properties is permitted except where such access will cause traffic safety or functional concerns. The design and construction of these roads will accommodate safe use by all travel modes and the efficient operation of transit services.

In general, major collectors act as a connection between arterials and collectors. They are also social places that bring local users together to interact during their daily travels. A diversity of community land uses front onto major collectors and collectors such as parks, schools, commercial and wide range of residential types.

Major collectors and collectors are the principal streets in urban and village neighbourhoods and are used by residents, delivery and commercial vehicles, transit and school buses, and people walking and cycling. The reduced speed and volumes of traffic on these roads, compared with arterials, make them more accommodating for cyclists and pedestrians. Tree



plantings, bus stops, community mailboxes and other streetscape features help to integrate these streets with their neighbourhoods.

Locals

Locals are typically residential streets that serve numerous overlapping functions. They provide transportation access to collectors, major collectors and arterials and act as social places that foster interaction between neighbours, and provide important space for street trees and on-street parking. Local streets serve as common origin and destination points for active transportation trips and should always prioritize the safety of the most vulnerable road users.

Lanes

A lane is a public highway that provides a secondary means of access from a public street to abutting lots. Lanes may be locations for utilities and services and provide access to residential parking, and in some cases, on-street parking, where appropriate.

2.0 – Rights-of-Way Protection Requirements

Section 4.1.7 indicates that the City will protect rights-of-way for the development of the transportation network of the city. In particular, this involves identifying where lands will be acquired for new rights-of-way or the widening of existing rights-of-way. This section of Schedule C16 sets forth the right-of-way (ROW) widths that the City may acquire for roads, shown in Schedules C4, C5, C9 and C10, and additional ROW policies. The ROW distances indicate the width of land that the City has identified will be needed to accommodate the range of possible transportation and infrastructure facilities such as: roadway lanes for cars, truck, bicycles and/or transit vehicles; sidewalks and pathways; central or side boulevards for landscaping; public utilities, lighting; and spaces for street side amenities (bus stops, mail and newspaper boxes, etc.).

Rights-of-way protection requirements in Table 1 are characterized as follows:

- a) Minor widenings that are generally in the Downtown Core, Inner Urban and Outer Urban Transects, as well as Villages, to provide space for pedestrians, cyclists, utilities and streetscape improvements;
- b) Major widenings that are usually in the Suburban Transect, to accommodate mobility and road requirements including traffic and transit lanes as well as space for pedestrians, cyclists, utilities and streetscape improvements; and



- c) Right-of-way protection for new roads, usually associated with urban growth areas in the Suburban Transect and urban expansion areas, generally based on approved plans, studies, and designs.

2.1.1 Policies:

- (a) **ROW interpretation** – Except as specifically indicated otherwise in Table 1 of this Annex, land for a road widening will be taken equally from both sides of a road, measured from the centreline in existence at the time the widening. The centreline is a line running down the middle of a road surface, equidistant from both edges of the pavement. In determining the centreline, paved shoulders, bus lay-bys, auxiliary lanes such as on-road bicycle lanes and transit-only lanes, turning lanes located along the outside edge of the road such as right turn lanes and other special circumstances are not included in the determination of the road surface. Exceptions include for example where a road has been constructed on one side of a right-of-way as part of phased road construction (i.e. 2 lanes constructed on one side of a future 4 lane road) the centerline shall be measured from the future designed road centerline as identified in an environmental assessment or other approved road design, and where a ditch cross-section on one side of the right-of-way has resulted in the constructed road surface being substantially offset, the centreline shall be measured as equidistant from the legal ROW limit. Measurement of the centreline in non-standard circumstances will be determined in consultation with the City Surveyor.
- (b) **Developing Areas** – The required ROWs for all future major collector and collector roads, primarily in developing areas of the city, are not shown in the tables in this Annex. The City will establish the ROW of these future roads through such measures as approved Local Plans and Area Specific Policies, road design plans and/or through the subdivision approval process. As stated in policy 5 of Section 4.1.3, an amendment to Schedules C4, C5, C9 and C10 will not be required for the roadway network revisions that involve the addition or deletion of major collector or collector roads.
- (c) **Exception to ROW Requirements** – Under certain situations the City may decide to reduce or waive the requirements, or apply other measures, shown in this Plan for the acquisition of lands for a road widening from



adjacent properties. This may be done to reflect site constraints, existing physical development or encroachment, placement of buildings, heritage structures, scale of proposed development and pedestrian safety. Decisions to possibly vary right-of-way requirements will be based on consideration of such matters as:

- (i) Comprehensive studies – A lesser right-of-way is recommended by an approved area-specific study, such as a Secondary Plan, or Local Plan, a community improvement plan, streetscape improvement plan, area traffic management plan or similar study approved by the City for the road segment.
- (ii) Impact on valued resources – Where there would be possible loss or substantial adverse impact on City-identified significant resources in the form of heritage buildings or structures, archaeological sites, natural heritage features or other features/resources deemed of significance by the City.
- (iii) Recent road designs – Where the detailed design for new or recently completed road segments accommodates rights-of-way identified in previous official plans or environmental assessments and adequately takes into consideration the best practices to promote walking, cycling and transit use; provides adequate space for services and utilities; and creates an attractive landscaped public area.
- (iv) Potential effect on site development – Where the potential for the protected ROW to render a property virtually non-developable according to the applicable zoning by-law standards and for which a rezoning or minor variance may not be able to resolve the difficulty.
- (v) Widening/easement– Where the application of other measures or techniques such as the widening/easement policy or a setback in zoning provides for adequate at-grade spatial requirements for pedestrians, and other forms of active transportation or streetscape amenities and where the widening is not needed for utilities.

- (vi) Building setback incongruities – Where potential new buildings would have to be set back substantially more than existing buildings, creating an indented pattern of development that would not be in keeping with the character of an existing area and there is no advantage or enhancement to the public road created by the setback.
- (vii) Road ROW continuity- where there would be the creation of a noticeable disjoint or jog in the ROW between an existing roadway in a modern planned subdivision and a proposed extension of that roadway in a new contiguous development.
- (d) **Widening/easement** – Certain streets identified in Table 1, Road Right-of-way Protection, are subject to a widening/easement policy. The widening/easement policy may be applied in addition to any required right-of-way widening. The policy can also be applied as a stand-alone requirement as identified in Table 1. An unobstructed surface easement for the use of pedestrians, or other forms of active transportation, will be required along the full length of property frontages. Unless otherwise determined by the City, this easement will generally consist of dimensions as described in this paragraph. The width of this easement measured from the proposed right-of-way varies depending on the design of the building. Where the building is setback and there is no building cantilever, a width of 1.5 metres is required. Where a building cantilevers over the easement the easement will have a height of 4.5 metres from finished grade surface, and a width of 1.5 metres. Where columns support the part of a building built over the easement a width of 1.5 metres between the columns and the closer of the building face and any door swing area is required. Where a cantilevered building and a column-supported building are located adjacent to each other, there must be a clear passage for pedestrians of 1.5 metres in the easement where the buildings meet. The travel surface must be AODA compliant, continuous and at the same grade at the adjacent sidewalk and free of obstructions or obstacles.
- (e) **Corner Triangles** – The City will require dedication of land for road right-of-way widening to provide corner triangles at intersections. Depending on the location and type of roads involved and the type of intersection, the length

of the side of a corner triangle will vary in the general range of 3 to 10 metres. The City will determine the requirements for each corner triangle based on engineering requirements. Corner triangles may be waived or reduced when intersection requirements can be fulfilled and where the provision of such triangles would result in reduction of the building envelope in certain locations, notably minor intersections, in the Downtown Core and Inner Urban transects. Where a right-of-way widening at an intersection results in a reduction of an existing corner triangle, the City will determine whether a new corner triangle is required.

- (f) **Additional Intersection Widening** -- The City may require dedication of land for road right-of-way widening for any road that intersects with a city highway, arterial, major collector, or collector road, in proximity of the intersection. The extent of right-of-way widening to be required will be established by approved City road design guidelines and construction standards or a traffic study and a functional design of the associated intersection that addresses the need for additional intersection-related features such as roundabout components, turning lanes, transit facilities, pedestrian sidewalks and facilities, cycling facilities, traffic signals, street lighting and medians, and AODA compliance components.
- (g) **Rail Crossings** – The City may require dedication of land for road right-of-way widening where there is an existing railway at-grade crossing or future rail crossing of a city road. This land will be in the shape of a triangle, at each corner of the crossing. Where a road and railway line cross, the maximum length of the triangle along the road will be in the range of 170 metres, and the maximum width of the triangle measured from the road will be in the range of 15 metres unless otherwise determined in a specific study. This land may be used to construct a grade-separated crossing at some time in the future. Detailed City-approved engineering requirements will establish the exact requirements for such widening of various types of roads where there is a rail line crossing.
- (h) **Watercourse Crossings** – The City may require dedication of land for road right-of-way widening where there is a crossing of a city road with a watercourse. This land will be in the shape of a triangle at each corner of

the crossing. The dimensions of the triangle will be established by a functional design of the crossing that addresses the need for watercourse crossing structures such as a bridge or culvert and the associated land required for construction and maintenance of the structure.

- (i) **Turn Lanes required by Site Development** – The City may require dedication of land for road right-of-way widening where a transportation study indicates that there is a need for a dedicated turn lane or lanes into or from a development site. This may occur in situations such as large developments or redevelopments along arterial roadways and is necessary to maintain the land required to provide pathways, landscaping, utility corridors and other facilities planned for the road right-of-way.
- (j) **Hydro Electric Power Corridors (HEPC) and Road ROWs** – Planting of trees and landscaping in the immediate vicinity of existing or planned hydroelectric line facilities is controlled by the HEPC authority. Other elements may also be impacted by offsets from electrical services. This impacts the ability of the City to provide street trees and similar landscaping where existing or planned roadways run immediately adjacent to or along these utility corridors. Therefore, in the preparation of community design plans and Environmental Assessment Studies or the review of plans of subdivision the City may require dedication of larger road right-of-way widening requirements or the provision of landscape buffers for proposed roads that will lay adjacent to hydro line corridors so that the street trees and similar landscaping can also be accommodated.

Table 1 – Road Right-of-Way Protection

Table 1 identifies right-of-way widening requirements to implement the appropriate road design and meet road corridor functions for those roads and road segments that have not been secured. Table 1 includes general ROW requirements to fulfill road requirements based on city design standards and guidelines, well as utility company requirements. Table 1 also provides specific roads ROW requirements for various road segments based on previous plans, studies and identified requirements. Where the existing right-of-way is wide enough to meet requirements, these roads have not been specifically listed.

Table 1 – Road Right-of-Way Protection	
Road	ROW to be Protected
Arterials in the Rural area (as shown on Schedules C9 and C10 of the Official Plan)	30 metres ROW unless otherwise indicated in Table 1 or in a Local Plan or environmental assessment
Arterials that define the boundary of the Urban and Rural areas on either side (as shown on Schedule A of the Official Plan)	37.5 metres ROW unless otherwise indicated in Table 1 or in a Local Plan or environmental assessment
Collectors and Major Collectors in the Rural area and Villages (as shown on Schedules C9 and C10 of the Official Plan)	26 metres ROW unless otherwise indicated in Table 1 or in a Local Plan
Locals in the rural area and villages	ROW to be protected is 20 metres unless otherwise indicated in a Local Plan

Table 1 – Road Right-of-Way Protection

Road	ROW to be Protected
Lanes in the Urban area and Villages	<p>6 metres ROW where only residential land uses abut;</p> <p>8 metres ROW where commercial or mixed-use residential commercial land uses abut;</p> <p>Unless otherwise indicated in a Local Plan</p>
New Urban Locals	<p>18 metres ROW to be provided or protected unless otherwise indicated in a Local Plan</p>
New Urban Collectors and Major Collectors	<p>26 metres ROW to be provided or protected unless otherwise indicated in Table 1 or in a Local Plan</p>
New Urban Arterials	<p>37.5 metres minimum with median and 32 metres minimum without median ROW to be protected unless otherwise indicated in Table 1 or in a Local Plan or environmental assessment.</p>



Road	From	To	ROW to be Protected (m)	Classification	Sector
Abbott West	West Ridge	Main	24	collector	urban
Abbott East	Main	Iber	26	major collector	urban
Airport Parkway	Bronson	Airport Parkway Private	ECP	arterial	urban
Albert	Bayview	Empress	Subject to widening/easement policy on the north side.	arterial	urban
Albert	Empress	Bronson	40 Note: Maximum land requirement from property abutting existing ROW (10.0 m). Subject to widening/easement policy.	arterial	urban
Albert	Bronson	Elgin	VRW Note: Maximum land requirement from property abutting existing ROW (1.25 m). Subject to widening/easement policy.	arterial	urban
Albert	Elgin	Mackenzie King Bridge	VRW Note: Maximum land requirement from property abutting existing ROW (1.25m).	arterial	urban
Albion	Bank	Lester	24	collector	urban
Albion	Lester	Leitrim	G	arterial	urban
Albion	Leitrim	Del Zotto	37.5	arterial	urban



Road	From	To	ROW to be Protected (m)	Classification	Sector
Albion	Del Zotto	Urban area - south limit	37.5 Note: An additional 5.0 m on the rural side may be required to construct a rural cross-section.	arterial	urban
Aldercrest	Viewmount	Fieldrow	24	collector	urban
Alta Vista Transportation Corridor	Highway 417	Walkley/ Conroy	Varies – see the Alta Vista Transportation Corridor Environmental Study Report	arterial	urban
Amberwood	Merivale	Prince of Wales	24	collector	urban
Amy	Kathleen	Abbott East	24	collector	urban
Analdea	Bank	Bank	24	collector	urban
Anderson	Innes	Leitrim	G	arterial	urban
Antares	Auriga	West Hunt Club	24	collector	urban
Arnold	Richmond	Moodie	24	collector	urban
Ashgrove	Greenbank	Meadowbank	24	collector	urban
Auriga	Antares	Antares	24	collector	urban
Bank	Wellington	Catherine	20 Note: Maximum land requirement from property abutting existing ROW (0.90 m). Subject to widening/ easement policy.	arterial	urban
Bank	Catherine	Isabella	20	arterial	urban



Road	From	To	ROW to be Protected (m)	Classification	Sector
Bank	Isabella	Holmwood	20.5 as per Glebe Secondary Plan	arterial	urban
Bank	Echo	Riverside	23	arterial	urban
Bank	Riverside	Hunt Club	37.5	arterial	urban
Bank	Hunt Club	Lester	44.5	arterial	urban
Bank	Lester	Leitrim	G	arterial	urban
Bank	Leitrim	Analdea	44.5 Note: subject to the varying widening requirements of the Bank Street ESR	arterial	urban
Bank	Analdea	Urban area – south limit	44.5 Note: Note: subject to the varying widening requirements of the Bank Street ESR. An additional 5.0 m on the rural side may be required to construct a rural cross-section.	arterial	urban
Bank	Urban area – south limit	Rideau	44.5 Note: subject to the varying widening requirements of the Bank Street ESR	arterial	rural
Bank	Rideau	Mitch Owens	40	arterial	rural



Road	From	To	ROW to be Protected (m)	Classification	Sector
Bankfield	Highway 416	100m west of Colony Heights	34	arterial	rural
Bankfield	100m west of Colony Heights	Manotick Main Street	23	arterial	village
Banner	McClellan	Greenbank	24	collector	urban
Barnsdale	Eagleson	Highway 416	30	collector	rural
Barnsdale	Highway 416	Prince of Wales	40	arterial	urban and rural
Barran	Fallowfield	Larkin	24	collector	urban
Baseline	Richmond	Greenbank	36.3	arterial	urban
Baseline	Greenbank	Cobden	42	arterial	urban

Note: Subject to unequal widening outlined in the Baseline Road Rapid Transit Corridor (Bayshore Station to Heron Station) Planning and Environmental Assessment Study



Road	From	To	ROW to be Protected (m)	Classification	Sector
Baseline	Cobden	Highgate	44.3 Note: Subject to unequal widening outlined in the Baseline Road Rapid Transit Corridor (Bayshore Station to Heron Station) Planning and Environmental Assessment Study	arterial	urban
Baseline	Highgate	Constellation	42 Note: Subject to unequal widening outlined in the Baseline Road Rapid Transit Corridor (Bayshore Station to Heron Station) Planning and Environmental Assessment Study	arterial	urban
Baseline	Navahoe	Clyde	40.2 Note: Subject to unequal widening outlined in the Baseline Road Rapid Transit Corridor (Bayshore Station to Heron Station) Planning and Environmental Assessment Study		



Road	From	To	ROW to be Protected (m)	Classification	Sector
Baseline	Clyde	Merivale	39.7		
			Note: Subject to unequal widening outlined in the Baseline Road Rapid Transit Corridor (Bayshore Station to Heron Station) Planning and Environmental Assessment Study		
Baseline	Merivale	Farlane	44.7		
			Note: Subject to unequal widening outlined in the Baseline Road Rapid Transit Corridor (Bayshore Station to Heron Station) Planning and Environmental Assessment Study		
Baseline	Farlane	Zena	42.8		
			Note: Subject to unequal widening outlined in the Baseline Road Rapid Transit Corridor (Bayshore Station to Heron Station) Planning and Environmental Assessment Study		



Road	From	To	ROW to be Protected (m)	Classification	Sector
Baseline	Zena	Marson	37 Note: Subject to unequal widening outlined in the Baseline Road Rapid Transit Corridor (Bayshore Station to Heron Station) Planning and Environmental Assessment Study		
Baseline	Marson	Fisher	47 Note: Subject to unequal widening outlined in the Baseline Road Rapid Transit Corridor (Bayshore Station to Heron Station) Planning and Environmental Assessment Study		
Baseline	Fisher	Prince of Wales	35.8 Note: Subject to unequal widening outlined in the Baseline Road Rapid Transit Corridor (Bayshore Station to Heron Station) Planning and Environmental Assessment Study		
Bathgate	Montreal Road	Ogilvie	26	collector	urban



Road	From	To	ROW to be Protected (m)	Classification	Sector
Bayview/ Bayswater	Scott	Somerset	24	collector	urban
Beaver Ridge	Capilano	Meadowlands	24	collector	urban
Beechfern	Wintergreen	Hedgerow	24	collector	urban
Beechwood	Vanier Parkway	Marier	11.5 north side, 13 south side	arterial	urban
Beechwood	Marier	Joliette	23	arterial	urban
Beechwood	Joliette	Juliana	26	arterial	urban
Bégin	Montréal	Lévis	6m east side, 9 m west side	local	urban
Belcourt	St. Joseph	Sunview	24	collector	urban
Belfast	Trainyards	St. Laurent	26.9 to 29.2 Note: Varies and subject to unequal widening requirements of the Hospital Link and Cumberland Transitway Westerly EA	collector	urban
Bellman	McClellan	Greenbank	24	collector	urban
Besserer	Cumberland	King Edward	20	local	urban
Beverly	West Ridge	Stittsville Main	24	collector	urban
Bill Leatham	Leikin	Leikin	26	major collector	urban

Road	From	To	ROW to be Protected (m)	Classification	Sector
Blackburn Hamlet Bypass (Innes)	Innes (west of Blackburn Hamlet)	Innes (east of Blackburn Hamlet)	G to 86.2 Note: Varies and subject to unequal widening requirements of the Hospital Link and Cumberland Transitway Westerly EA. An additional 5.0 m on the Greenbelt side may be required to construct a rural cross-section	arterial	urban
Blair	Montreal	Ottawa Road 174	30 and greater Note: varies and is subject to unequal widening, see the Montreal-Blair Road Transit Priority Corridor Environmental Study Report	arterial	urban



Road	From	To	ROW to be Protected (m)	Classification	Sector
Blair	Ottawa Road 174	Innes	37.5 Note: Additional 26.2 to 74.3 on the east side, varies and subject to unequal widening requirements of the Hospital Link and Cumberland Transitway Westerly EA. An additional 5.0 m on the Greenbelt side may be required to construct a rural cross-section	arterial	urban
Blais	Bank	Hawthorne	30	collector	rural
Bloomfield	Churchill North	East End	18	local	urban
Booth	Chaudière Bridge	Wellington / Sir John A. Macdonald Parkway	30	arterial	urban
Booth	Fleet	Aqueduct	30	arterial	urban
Booth	Aqueduct	Wellington	38	arterial	urban
Booth	Hwy 417 underpass	Carling	23	major collector	urban
Borrisokane	Strandherd	Cambrian	37.5	arterial	urban
Borrisokane	Cambrian	Barnsdale	24	collector	urban
Boundary	Russell	South Boundary of Carlsbad Springs	23	arterial	village



Road	From	To	ROW to be Protected (m)	Classification	Sector
Boundary	Southern boundary of Carlsbad Springs	Highway 417	35.5 Note: An additional 5.0 m on the rural side may be required to construct a rural cross-section.	arterial	urban
Bowesville	Leitrim	Urban area – south limit	26.0	major collector	urban/rural
Boyer	Viseneau	Meadowglen	24	collector	urban
Bren-Maur	Temagami	Prince of Wales	24	collector	urban
Brian Coburn	Blackburn Hamlet Bypass	Trim	40	arterial	urban
Brian Coburn	Trim	Frank Kenny	40	arterial	rural
Bridge	Manotick Main	River	23	arterial	village
Bronson	Albert	Colonel By	23	arterial	urban
Bronson	Colonel By	Airport Parkway	44.5	arterial	urban
Brookfield	Riverside	Airport Parkway	26	major collector	urban
Cambrian	Borrisokane	Longfields	37.5	arterial	urban
Camelot	Cleopatra	Merivale	24	collector	urban
Cameron	Ottawa River	Old Montréal	23	arterial	village
Campeau Extension	West Urban Limit	Palladium	26.0	Collector	urban
Campeau	Didsbury	Teron	40	arterial	urban
Canfield	Cramer	Greenbank	24	collector	urban
Capilano	Merivale	Beaver	24	collector	urban
Capital	Grenfell	Merivale	24	collector	urban
Carbery	Beechfern	Abbott East	24	collector	urban



Road	From	To	ROW to be Protected (m)	Classification	Sector
Carling	March	Herzberg	44.5 Note: Subject to unequal widening: 44.5 m, measured from the existing south ROW limit	arterial	urban
Carling	Herzberg	Greenbelt boundary	G	arterial	urban
Carling	Greenbelt boundary	Holly Acres	44.5	arterial	urban
Carling	Holly Acres	Richmond	37.5	arterial	urban
Carling	Richmond	Bronson	44.5	arterial	urban
Carp	Approx. 600 m south of Craig Side	Approx. 600 m north of March	23	arterial	village
Carp	March	Richardson Side	30	arterial	rural
Carp	Richardson Side	Hwy 417	37.5	arterial	rural
Carp	Hwy 417	Westbrook	40.2 Note: Subject to unequal widening outlined in the Carp Road Widening Environmental Assessment Study	arterial	rural / urban

Road	From	To	ROW to be Protected (m)	Classification	Sector
Carp	Westbrook	Echowoods	33.2 Note: Subject to unequal widening outlined in the Carp Road Widening Environmental Assessment Study	arterial	rural / urban
Carp	Echowoods	Hazeldean	33.4 Note: Subject to unequal widening outlined in the Carp Road Widening Environmental Assessment Study	arterial	urban
Carp	Hazeldean	Main Street	23	arterial	urban
Catherine	Bronson	Elgin	23	arterial	urban
Cedarview	Baseline	Lytle	G	arterial	urban
Cedarview	Lytle	Fallowfield	37.5 Note: An additional 5.0 m on the either side may be required to construct a rural cross-section.	arterial	urban
Cedarview	Fallowfield	Jockvale	26	major collector	urban
Cedarview	Jockvale	Kennevale	24	collector	urban
Centrepoint	63m north of Hemmingwoode	Tallwood	26	major collector	urban
Chamberlain	Bronson	Bank	23	arterial	urban



Road	From	To	ROW to be Protected (m)	Classification	Sector
Chapman Mills	Longfields	Riocan	41	major collector	urban
Chapman Mills	Riocan	Greenbank	43	major collector	urban
Chapman Mills	Greenbank	1.1km west of Greenbank	41	major collector	urban
Chesterton	Viewmount	Meadowlands	24	collector	urban
Chimo	Katimavik	Katimavik	24	collector	urban
Clare	34.90m east of Evered	Tweedsmuir	24 <i>Note: North Side</i>	collector	urban
Claridge	Strandherd	Woodroffe	24	collector	urban
Clementine	Bélanger	Ohio	15	local	urban
Clementine	Rockingham	Bélanger	20	local	urban
Cleopatra	West Hunt Club	Merivale	24	collector	urban
Clyde	Maitland	Baseline	34	arterial	urban
Clyde	Baseline	Merivale	34	arterial	urban
Colonial	Trim	Delson	23	arterial	village
Colonial	Western boundary of Village of Sarsfield	Eastern boundary of Village of Sarsfield	23	arterial	village
Colonnade	Merivale	Prince of Wales	26	major collector	urban
Colonnade S.	Colonnade N.	Colonnade N.	24	collector	urban
Conroy	Walkley	Greenbelt boundary	44.5	arterial	urban
Conroy	Greenbelt boundary	Bank	G	arterial	urban
Constance Bay	Dunrobin	Bayview	20	arterial	village
Constellation	Baseline	Navaho	35	collector	urban



Road	From	To	ROW to be Protected (m)	Classification	Sector
Constellation	Navaho	Centrepointe	24	collector	urban
Cope	Entire Length		24	collector	urban
Cordova	Withrow	Baseline	24	collector	urban
Corkstown	March	Moodie	G	arterial	urban
Corkstown	Moodie	Carling	24	collector	urban
Cousineau	East-west segment only		18	local	urban
Coventry	Vanier Parkway	St. Laurent	30	arterial	urban
Cresthaven	Strandherd	Crestway	26	major collector	urban
Crystal Beach	Corkstown	Carling	24	collector	urban
Cumberland	George	Rideau	20	local	urban
Cummings	Montreal	Donald	24	collector	urban
Cummings	Donald	Ogilvie	26	major collector	urban
Cummings	Ogilvie	Cyrville	37.5	arterial	urban
Cyrville	Cummings	100m north of Maxime	37.5	arterial	urban
Cyrville	100m north of Maxime	Innes	37.5	arterial	urban
			Note: Subject to unequal widening: North side 15.0 m, South side 22.5 m		
Cyrville	St. Laurent	Cummings	26	collector	urban
D'aoust	Albion	Bank	24	collector	urban
Dairy	Trim	Old Montréal	20	local	urban
Dalhousie	Rideau	Besserer	24	collector	urban
Data Centre	Riverside	Heron	37.5	arterial	urban
Davis	Katimavik	McGibbon	24	collector	urban

Road	From	To	ROW to be Protected (m)	Classification	Sector
Deakin	Auriga	Prince of Wales	24	collector	urban
Deer Fox	Beatrice	Woodroffe	24	collector	urban
Deer Park	Meadowlands	Fisher	24	collector	urban
Dickinson	Mill	South end	14	local	village
Didsbury	Entire Length		26	local	urban
Donald B. Munro	Thomas A. Dolan	Carp River	26	collector	rural
Donald B. Munro	Carp River	Falldown (east leg)	23	collector	village
Donald B. Munro	Falldown (east leg)	Langstaff	16	collector	village
Donald B. Munro	Langstaff	Farmridge	23	collector	village
Donald B. Munro	Farmridge	March	26	collector	rural
Duford	St. Joseph	Amiens	24	collector	urban
Dunning	Old Montréal	Brickland	23	arterial	village
Dussere	Cousineau	St. Joseph	20	local	urban
Eagleson	Campeau	30 m north of Palomino	44.5	arterial	urban
			Note: An additional 5.0 m on the Greenbelt side may be required to construct a rural cross- section		
Eagleson	30m north of Palomino	Hope Side	44.5	arterial	urban
Eagleson	Urban Area Limit	Fallowfield	34	arterial	rural

Road	From	To	ROW to be Protected (m)	Classification	Sector
Earl Armstrong	River Road	Bowesville	44.5	arterial	urban
Earl Armstrong	Bowesville	Albion	44.5	arterial	rural
Earl Armstrong (extension)	Albion	Hawthorne	37.5 to 57.4, varies as per the Earl Armstrong Extension ESR and addendum	arterial	rural and urban
Earl Grey	Entire length		20	local	urban
Eaton	Lynhar	Larkspur	24	collector	urban
Edgar Brault	St. Joseph	100m south of St. Joseph	20	local	urban
Elgin	Wellington	Queen	40 Note: Maximum land requirement from property abutting existing ROW (2.4 m).	arterial	urban
Elgin	Plaza Bridge	Queen	40 Note: Maximum land requirement from property abutting existing ROW (2.4 m).	arterial	urban
Elgin	Queen	Laurier	40 Note: Maximum land requirement from property abutting existing ROW (2.4 m).	arterial	urban
Elgin	Laurier	Lisgar	40	arterial	urban

Road	From	To	ROW to be Protected (m)	Classification	Sector
Elgin	Lisgar	Isabella	20 Note: Maximum land requirement from property abutting existing ROW (0.90 m). Subject to widening/ easement policy.	arterial	urban
Elm	Main	Main	24	collector	urban
Fallowfield	Eagleson	Moodie	34	arterial	rural
Fallowfield	Strandherd	Cedarview	44.5 Note: An additional 5.0 m on the rural side may be required to construct a rural cross-section.	arterial	urban
Fallowfield	Cedarview	360m west of VIA Rail	44.5 Note: Subject to unequal widening: north side 44.5 m, measured from south ROW limit.	arterial	urban

Road	From	To	ROW to be Protected (m)	Classification	Sector
Fallowfield	360m west of VIA Rail	VIA Rail	44.5 Note: Subject to unequal widening measured from the south ROW limit plus additional up to 64 on the north side varies subject to unequal widening requirements of the Barrhaven Light Rail Transit (Baseline Station to Barrhaven Town Centre) and Rail Grade-Separations Planning and EA Study. An additional 5.0 m on the Greenbelt side may be required to construct a rural cross-section	arterial	urban
Fallowfield	VIA Rail	Woodroffe	44.5 Note: Subject to unequal widening: north side 44.5 m, measured from south ROW limit. An additional 5.0 m on the Greenbelt side may be required to construct a rural cross-section	arterial	urban
Fallowfield	Woodroffe	Prince of Wales	G	arterial	urban



Road	From	To	ROW to be Protected (m)	Classification	Sector
Family Brown	Merivale	Grant Carmen	24	collector	urban
Farlane	Walford	Baseline	24	collector	urban
Farrow	Grandeur	Ahearn	12	local	urban
Fernbank	Stittsville Urban Area - western limit	Stittsville Main	24	collector	urban
Fernbank	Stittsville Main Street South	Terry Fox	37.5	arterial	urban
Fernbank	Terry Fox	Eagleson	30	arterial	urban
Fern Casey	Vanguard	Brian Coburn	24	major collector	urban
Fieldrow	Aldercrest	Perry	24	collector	urban
Fisher	Trent	Baseline	34	arterial	urban
Fisher	Holland	Trent	34	arterial	urban
Fitzgerald	Robertson	Moodie	24	collector	urban
Flamborough	Terry Fox	Klondike	24	collector	urban
Forest Valley	St. Joseph	Orléans	26	collector	urban
Fourth Line	Approx. 300 m north of Shellstar	Approx. 200 m south of Willisbrook	23	arterial	village
Frank Bender	330m south of Innes	Fern Casey	24.0	collector	urban
Frank Kenny (extension)	Innes	Existing Frank Kenny South of Innes	46	arterial	rural
Frank Kenny	Innes	Rockdale	33	arterial	rural / urban
Gabriel	Rocque	130 m north of St. Joseph	23	local	urban
Galetta Side	Darwin	Galetta Village boundary	23	arterial	village



Road	From	To	ROW to be Protected (m)	Classification	Sector
Gladstone	Loretta	106m west of Preston	22 Note: 2.0 maximum from south side	major collector	urban
Gladstone	106m west of Preston	Preston	10.0 on north side only measured from centreline	major collector	urban
Gladstone	Preston	Rochester	22	major collector	urban
Gladstone	Rochester	Booth	20	major collector	urban
Glamorgan	Castlefrank	Rothesay	24	collector	urban
Goldridge	Kanata	Kanata	24	collector	urban
Goulbourn Forced	150 m north of rail line	Kanata	26	major collector	urban
Grant Carman	Viewmount	Meadowlands	24	collector	urban
Greenbank	Highway 417	West Hunt Club	37.5	arterial	urban
Greenbank	West Hunt Club	Fallowfield	G	arterial	urban
Greenbank	Fallowfield	Strandherd	44.5	arterial	urban
Greenbank	Strandherd	Chapman Mills	37.5	arterial	urban
Greenbank	Chapman Mills	Greenbank realignment	41.5	arterial	urban
Greenbank realignment	Future Chapman Mills	Cambrian	41.5 Note: Subject to varying widening requirements of Greenbank Road ESR	arterial	urban
Greenbank	Cambrian	Barnsdale	37.5	arterial	urban
Greenbank realignment	Cambrian	Urban area - south limit	41.5	arterial	urban



Road	From	To	ROW to be Protected (m)	Classification	Sector
Greenfield	Main	Mann	23	arterial	urban
Gregoire	Victoria	Ottawa city limits	30	collector	urban
Grenfell	Woodroffe	Slack	24	collector	urban
Grey's Creek	Snake Island	south dead end	26	local	rural
Harbour	Market	Nicholson	23	collector	rural
Harrison	Monterey	Greenbank	24	collector	urban
Harry Douglas	Iber	Randall James	24	collector	urban
Hawthorne Avenue	Colonel By	Main	20	arterial	urban
Hawthorne Road	Walkley	Hunt Club	44.5	arterial	urban
Hawthorne Road	Hunt Club	Leitrim	G	arterial	urban
Hawthorne Road	Leitrim	Rideau	34	collector	urban
Hazeldean	Stittsville urban area-west limit	Carp	37.5	arterial	urban
Hazeldean	Main St. North	Fringewood	37.5	arterial	urban
Hazeldean	Fringewood	Terry Fox	44.5	arterial	urban
			Note: Subject to unequal widenings outlined in the Hazeldean Road ESR		
Hazeldean	Terry Fox	Eagleson	37.5	arterial	urban
Hedgerow	Beechfern	Trailway	24	collector	urban
Hemlock	Juliana	St. Laurent	30	arterial	urban



Road	From	To	ROW to be Protected (m)	Classification	Sector
Heron	Prince of Wales	Riverside	45.4 Note: Subject to unequal widening outlined in the Baseline Road Rapid Transit Corridor (Bayshore Station to Heron Station) Planning and Environmental Assessment Study	arterial	urban
Heron	Riverside	Data Centre	45.7 Note: Subject to unequal widening outlined in the Baseline Road Rapid Transit Corridor (Bayshore Station to Heron Station) Planning and Environmental Assessment Study		
Herzberg	Terry Fox	March	26	major collector	urban
Highbury Park	Greenbank	Longfields	24	collector	urban
Hobin	Carp	Renshaw	24	collector	urban
Hobin	Renshaw	Main Stittsville	24	collector	urban
Hog's Back	Prince of Wales	Riverside	26	collector	urban
Holland	Scott	Carling	26	major collector	urban
Holland	Carling	Fisher	34	arterial	urban



Road	From	To	ROW to be Protected (m)	Classification	Sector
Holly Acres	Carling	Transitway	37.5 Note: An additional 5.0 m on the rural side may be required to construct a rural cross-section.	arterial	urban
Holly Acres	Transitway	Richmond	56.6 Note: Subject to unequal widening outlined in the Baseline Road Rapid Transit Corridor (Bayshore Station to Heron Station) Planning and Environmental Assessment Study	arterial	urban
Hope Side	Eagleson	Old Richmond	44.5 Note: subject to the varying widening requirements of the Hope Side Road/Old Richmond Road Corridor (Terry Fox Drive to Highway 416) ESR	arterial	urban
Hunt Club	Prince of Wales	Conroy	44.5	arterial	urban



Road	From	To	ROW to be Protected (m)	Classification	Sector
Hunt Club	Conroy	Hawthorne	44.5 Note: Subject to unequal widening: South side 44.5m, measured from north ROW limit. In addition, a further 5.0m may be required from the south side.	arterial	urban
Hunt Club Extension	Hawthorne	Highway 417	42.5 - 50m varies as per Innes-Walkley-Hunt Club Road Connection Transportation Environmental Study Report	arterial	urban
Huntley/Main Street	Etta	Urban area – south limit	37.5 Note: An additional 5.0 m on the rural side may be required to construct a rural cross-section.	arterial	urban
Huntmar	Richardson Side	Urban area – north limit	37.5	arterial	urban
Huntmar	Urban area - north limit	Maple Grove	37.5	arterial	urban
Industrial	Riverside	St. Laurent	37.5	arterial	urban

Road	From	To	ROW to be Protected (m)	Classification	Sector
Innes	St. Laurent	Blair	44.5 to 94.6 Note: Varies and subject to unequal widening requirements of the Hospital Link and Cumberland Transitway Westerly EA	arterial	urban
Innes	Blair	Blackburn Hamlet by-pass (west end)	45.7 to 118.8 Note: Varies and subject to unequal widening requirements of the Hospital Link and Cumberland Transitway Westerly EA. An additional 5.0 m on the Greenbelt side may be required to construct a rural cross-section	arterial	urban
Innes	Rondel	Blackburn Hamlet Bypass (east)	26	major collector	urban
Innes	Blackburn Hamlet by-pass (east end)	East Urban Community - west limit	G	arterial	urban
Innes	Orléans Urban Area - west limit	250m west of Prestwick	37.5	arterial	urban



Road	From	To	ROW to be Protected (m)	Classification	Sector
Innes	250m west of Prestwick	Tenth Line	40 Note: Subject to unequal widening: north side 14.0 m, South side 26 m	arterial	urban
Innes	Tenth Line	Trim	37.5	arterial	urban
Innes	Trim	East Urban Community - east limit	37.5	arterial	urban
Innes-Walkley- Hunt Club link	Innes	Hunt Club extension/ Highway 417 interchange	42.5 – 50 Note: varies as per Innes-Walkley-Hunt Club Road Connection Transportation Environmental Study Report	arterial	urban
Inverness	Meadowlands	Fisher	24	collector	urban
Irwin	Pickford	Hazeldean	24	collector	urban
Isabella	Bank	O'Connor	23	arterial	urban
Isabella	O'Connor	Metcalfe	26	arterial	urban
Isabella	Metcalfe	Canal/Hawthorne	23	arterial	urban
Jeanne d'Arc	Champlain	Tenth Line	26	major collector	urban
Jeanne d'Arc	Ottawa Road 174	Innes	37.5	arterial	urban
Jeanne Mance	Kendall	Cyr	18	local	urban
Johnston	Bank	Albion	26 Note: measured from south side	major collector	urban
Johnwoods	Hazeldean	Rosehill	24	collector	urban



Road	From	To	ROW to be Protected (m)	Classification	Sector
Jonathan Pack	Beverly	Abbott West	24	major collector	urban
Joseph Cyr	Entire length		20	local	urban
Kakulu	Castlefrank	Eagleson	26	collector	urban
Kanata	Campeau	Richardson Side	26	collector	urban
Kanata Drive	Campeau	Aird Place	44.5	arterial	urban
Kanata North-South Arterial	Highway 417	Hazeldean	37.5	arterial	urban
Kathleen	Randall James	Amy	24	collector	urban
Kelly Farm (extension)	Kelly Farm (existing)	Earl Armstrong (future extension)	26	collector	rural
Kenaston	Entire length		23	local	urban
Kent	Wellington	Catherine	20	arterial	urban
				Note: Maximum land requirement from property abutting existing ROW (0.90 m). Subject to widening/ easement policy.	
Kimberley	Richmond	Ridgefield	24	collector	urban
King Edward	Sussex	Rideau	40	arterial	urban
Kirkwood	Richmond	Merivale	26	arterial	urban
Klondike	Old Second Line	March Valley	24	collector	urban
Knoxdale	Hunt Club West	Woodroffe	24	collector	urban
L'Église	Montreal	35m north of College	20 east side	local	urban
Larkin	Fallowfield	Greenbank	24	collector	urban
Larkspur	Eaton	Northside	24	collector	urban



Road	From	To	ROW to be Protected (m)	Classification	Sector
Laurier East	Nicholas	King Edward	23	arterial	urban
Laurier West	Bronson	Elgin	20	arterial	urban
			Note: Maximum land requirement from property abutting existing ROW (0.90 m). Subject to widening/ easement policy.		
Laurier West & East	Elgin	Nicholas	26	arterial	urban
Leacock	Beaverbrook	Beaverbrook	24	collector	urban
Leacock	Leacock	The Parkway	24	collector	urban
Lees	Main	77 metres east of Chestnut	18.5	arterial	urban
Lees	77 metres east of Chestnut	Mann	26	arterial	urban
Leikin	Crestway	Merivale	26	major collector	urban
Leitrim	River Road	Limebank	27.3 to 33.4	arterial	urban
			Note: Varies and subject to unequal widening requirements of the Leitrim Road Realignment and Widening ESR (2018). An additional 5.0 m on the Greenbelt side may be required to construct a rural cross-section.		



Road	From	To	ROW to be Protected (m)	Classification	Sector
Leitrim	Limebank	Riverside South Community - east limit	37.5 Note: An additional 5.0 m on the Greenbelt side may be required to construct a rural cross-section.	arterial	urban
Leitrim	Riverside South Community – east limit	200 metres west of Kelly Farm	G Note: Subject to the requirements of the Leitrim Road Realignment and Widening ESR (2018).	arterial	urban
Leitrim	200 metres west of Kelly Farm	Bank	35.1 to 40 Note: Varies and subject to unequal widening requirements of the Leitrim Road Realignment and Widening ESR (2018). An additional 5.0 m on the Greenbelt side may be required to construct a rural cross-section.	arterial	urban
Leitrim	Bank	Hawthorne	G	arterial	urban



Road	From	To	ROW to be Protected (m)	Classification	Sector
Leitrim	Hawthorne	Highway 417	35.5 Note: An additional 5.0 m on the Greenbelt side may be required to construct a rural cross-section.	arterial	urban
Leitrim	Highway 417	Russell	G	arterial	urban
Leitrim realignment	Leitrim (existing)	Leitrim (existing) 200 metres west of Kelly Farm	34.5 to 66.3 Note: Varies and subject to unequal widening requirements of the Leitrim Road Realignment and Widening ESR (2018). An additional 5.0 m on the Greenbelt side may be required to construct a rural cross-section.	arterial	urban
Lemieux	St. Laurent	Labelle	30	arterial	urban
Lenester	Woodroffe	Fairlawn	26	major collector	urban
Lester	Uplands	Trillium Line	G	arterial	urban
Lester	Trillium Line	Albion	40.5 Note: Subject to unequal widening: North side 21.5, South side 19.0	arterial	urban



Road	From	To	ROW to be Protected (m)	Classification	Sector
Lester	Albion	Meandering Brook	42 Note: Subject to unequal widening: North side 23, South side 19.0.		
Lester	Meandering Brook	Bank	31.3 Note: Subject to unequal widening: North side 12.25, South side 19.0.	arterial	urban
Liard	Main Stittsville	Fernbank	24	collector	urban
Limebank	Greenbelt Boundary	Leitrim	G	arterial	urban
Limebank	Leitrim	Urban area – south limit	44.5	arterial	urban
Lola	30.2m south of Prince Albert	26.6m north of King George	24 Note: East Side tapered from north to south	collector	urban
Longfields	Strandherd	Cambrian	37.5	arterial	urban
Longfields	Cambrian	Prince of Wales	37.5 Note: subject to varying widening and unequal widening requirements of the Jockvale Road ESR	arterial	urban
Longwood	Richmond	Ridgefield	24	collector	urban
Lotta	Cordova	Merivale	24	collector	urban
Louis	Entire length		20	local	east



Road	From	To	ROW to be Protected (m)	Classification	Sector
Lynhar	Richmond	Eaton	24	collector	urban
Lyon	Wellington	Catherine	20 Note: Maximum land requirement from property abutting existing ROW (0.90m). Subject to widening/ easement policy.	arterial	urban
MacFarlane	Merivale	Deakin	24	collector	urban
Mackenzie	St. Patrick	Colonel By Drive	20 Note: Maximum land requirement from property abutting existing ROW (zero m). Subject to widening/ easement policy	arterial	urban
Mackenzie King Bridge	Albert/Slater Connections	Waller	26	arterial	urban
Main	Echo	Highway 417	23	arterial	urban
Main	Highway 417	Clegg	23	arterial	urban
Main	Clegg	Riverside	23	arterial	urban
Maisonneuve	130 m north of St. Joseph	St. Joseph	23	local	urban
Maitland	Carling	Woodward	26	arterial	urban
Majestic	New Haven	Woodroffe	24	collector	urban
Manotick Main	Bankfield	Century East	23	arterial	village
Maple Grove	Stittsville Main St.	Huntmar	26	Major collector	urban
Maple Grove	Huntmar	Terry Fox	37.5	arterial	urban



Road	From	To	ROW to be Protected (m)	Classification	Sector
Maple Lane	Lisgar Road	Springfield	18 Note: unequal measured from north side	local	urban
March	Dunrobin	Urban area – north limit	34	arterial	rural
March	Urban area – north limit	North collector (as shown in CDP)	44.5	arterial	urban
March	North collector (as shown in CDP)	230m north of Maxwell Bridge Rd	44.5 Note: Subject to unequal widenings outlined in the Kanata North CDP	arterial	urban
March	230m north of Maxwell Bridge Rd	Klondike	48 Note: Subject to unequal widenings outlined in the Kanata North Transitway EA	arterial	urban
March	Klondike	Campeau	44.5	arterial	urban
March Valley	Cameron Harvey	500 m north of rail line	26 (unequal widening with a maximum of 6.0 on the west)	Collector	Rural/urban
Markinch	Renaud	Navan	26	Collector	urban
McBean	Perth	Ottawa	23	arterial	urban
McClellan	Banner	Bellman	24	collector	urban
McCurdy	Castlefrank	Castlefrank	24	collector	urban
McGibbon	Davis	Katimavik	24	collector	urban



Road	From	To	ROW to be Protected (m)	Classification	Sector
McLeod	Metcalfe	Metcalfe	20 Note: Maximum land requirement from property abutting existing ROW (0.90 m). Subject to widening/ easement policy.	arterial	urban
Meadowbreeze	Grassy Plains	Grassy Plains	24	collector	urban
Meadowglen	Orléans	Boyer	26	collector	urban
Meadowlands	Woodroffe	Prince of Wales	26	major collector	urban
Medhurst	Woodroffe	Woodfield	24	collector	urban
Mer Bleue	Innes	Renaud	37.5 Note: subject to varying widening requirements of the Mer Bleue ESR	arterial	urban
Mer Bleue Realigned	Renaud	Navan	37.5 Note: subject to varying widening requirements of the Mer Blue ESR.	arterial	urban
Merivale	Island Park	Carling	30	arterial	urban
Merivale	Carling	Kirkwood	26	arterial	urban
Merivale	Kirkwood	Caldwell	34	arterial	urban

Road	From	To	ROW to be Protected (m)	Classification	Sector
Merivale	Caldwell	Baseline	37.5 Note: An additional 5.0 m on the Central Experimental Farm side may be required to construct a rural cross-section.	arterial	urban
Merivale	Baseline	West Hunt Club	44.5	arterial	urban
Merivale	West Hunt Club	Greenbelt Boundary	37.5	arterial	urban
Merivale	Greenbelt Boundary	Urban area – north limit	G	arterial	urban
Merivale	Urban area-north limit	Prince of Wales	37.5	arterial	urban
Metcalfe	Wellington	McLeod	20 Note: Maximum land requirement from property abutting existing ROW (0.90 m). Subject to widening/easement policy	arterial	urban
Metcalfe	McLeod	Argyle	20 Note: Maximum land requirement from property abutting existing ROW (2.40 m). Subject to widening/easement policy.	arterial	urban



Road	From	To	ROW to be Protected (m)	Classification	Sector
Metcalfe	Argyle	Catherine	20 Note: Maximum land requirement from property abutting existing ROW (0.90 m). Subject to widening/easement policy.	arterial	urban
Michael	Cyrville	Labelle	20	local	urban
Michael	Labelle	Transitway	18	local	urban
Michael	Triole	Railway Crossing	20	local	urban
Michael Cowpland	Terry Fox	Didsbury	24	major collector	urban
Millview	Arthur	South end	20	local	village
Mitch Owens	River	Bank	34	arterial	rural
Monterey	Baseline	Greenbank	24	collector	urban
Montréal	North River Road	St. Laurent	23	arterial	urban
Montréal	St. Laurent	Ottawa Road 174	37.5 and greater Note: varies and is subject to unequal widening, see the Montreal-Blair Road Transit Priority Corridor Environmental Study Report	arterial	urban
Moodie	Carling	Bell's Corners - urban area – north limit	G	arterial	urban



Road	From	To	ROW to be Protected (m)	Classification	Sector
Moodie	Bell's Corners-urban area – north limit	Richmond	37.5	arterial	urban
Moodie	Richmond	West Hunt Club	24	collector	urban
Moodie	West Hunt Club	Urban area – south limit (Greenbelt)	G	arterial	urban
Moodie	Urban area - south limit (Greenbelt)	Fallowfield	34	arterial	rural
Murray	Alexandra Bridge	Sussex	20	arterial	urban
Murray	Sussex	King Edward	20	collector	urban
			Note: Maximum land requirement from property abutting existing ROW (0.00 m). Subject to widening/easement policy.		
Nanaimo	Richmond	Queensline	24	collector	urban
Navaho	Woodroffe	Navaho (east leg)	31.5		
			Note: Subject to unequal widening outlined in the Baseline Road Rapid Transit Corridor (Bayshore Station to Heron Station) Planning and Environmental Assessment Study		
Navan	Blackburn Hamlet Bypass	Greenbelt boundary	G	arterial	urban



Road	From	To	ROW to be Protected (m)	Classification	Sector
Navan	Greenbelt boundary	Urban area limit	37.5	arterial	urban
Navan	Urban area limit	Trim	34	arterial	rural
New Orchard	Richmond	Ambleside	20	local	urban
Newtown	Entire Length		20	local	rural
Nicholas	Rideau	Laurier	20	arterial	urban
			Note: Maximum land requirement from property abutting existing ROW (1.70 m). Subject to widening/easement policy		
Nicholas	Laurier East	Greenfield	26	arterial	urban
Norice	Woodroffe	Viewmount	24	collector	urban
North Service	Tenth Line	Trim	26	major collector	urban
Northside	Larkspur (west intersection)	Cassidy	24	collector	urban
O`Grady	Manotick Main	Dickinson	18	local	village
O`Connor	Wellington	Nepean	20	arterial	urban
			Note: Subject to widening/easement policy		
O`Connor	Nepean	Isabella	20	arterial	urban
			Note: Note: Maximum land requirement from property abutting existing ROW (0.90 m).		
Ogilvie	St. Laurent	Bathgate	44.5	arterial	urban

Road	From	To	ROW to be Protected (m)	Classification	Sector
Ogilvie	Blair	Montréal	37.5	arterial	urban
Ohio	54m east of Clementine	Bank	18	collector	urban
Old Carp	March	Old Second Line	26	collector	rural, urban
Old Colony	Rothesay	Abbeyhill	24	collector	urban
Old Montréal	Trim	65m west of Famille-Laporte	37.5	arterial	urban
Old Montréal	65m west of Famille-Laporte	65m east of Famille-Laporte	42.5	arterial	urban
			Note: Subject to unequal widening: North side 18.75, South side 23.75. Also, a taper on the south side extending 75m on both sides of the unequal widening is required.		
Old Montréal	65m east of Famille-Laporte	65m west of Cardinal Creek Drive	37.5	arterial	urban
Old Montréal	65m west of Cardinal Creek Drive	65m east of Cardinal Creek Drive	42.5	arterial	urban
			Note: Subject to unequal widening: North side 18.75, South side 23.75. Also, a taper on the south side extending 75m on both sides of the unequal widening is required.		
Old Montréal	65m east of Cardinal Creek Drive	Urban area east limit	37.5	arterial	urban



Road	From	To	ROW to be Protected (m)	Classification	Sector
Old Montréal	Urban area - east limit	Approximately 250m west of Chevalier	34	arterial	rural
Old Montréal	Approx. 250m west of Chevalier	Dunning	23	arterial	village
Old Richmond	Moodie	Robertson	24	collector	urban
Old Richmond	Bell's Corner's – Urban area south limit	Moodie	37.5	arterial	urban
Old Richmond	Bell's Corner's – Urban area south limit	West Hunt Club	G	arterial	urban
Old Richmond	West Hunt Club	Hope Side	44 Note: subject to the varying widening requirements of the Hope Side Road/Old Richmond Road Corridor (Terry Fox Drive to Highway 416) ESR	arterial	urban
Old Richmond	Hope Side	Fallowfield	34	arterial	urban
Old Richmond	Fallowfield	Eagleson	37.5	arterial	rural
Old Second Line	Old Carp	Terry Fox	26 uneven	major collector	urban
Old Wellington	Rideau Valley South	East dead end	18	local	village
Orleans	St. Joseph	Innes	37.5	arterial	urban
Orr	Fallowfield	Larkin	24	collector	urban



Road	From	To	ROW to be Protected (m)	Classification	Sector
Osgoode Main	Nixon	Drew Henry	23	arterial	village
Ottawa Road 174	Highway 417	Trim	ECP	arterial	urban
Ottawa Road 174	Trim	Cameron	42 to 130 Note: Varies and subject to unequal widening requirements of the Ottawa Road 174 ESR	arterial	Urban/ rural/ village
Ottawa Road 174	Cameron	Future extension of Barnett	32 to 50 Note: Varies and subject to unequal widening requirements of the Ottawa Road 174 ESR	arterial	village
Ottawa Road 174	Future extension of Barnett	City Boundary east of Canaan Road	50 to 155 Note: Varies and subject to unequal widening requirements of the Ottawa Road 174 ESR	arterial	village/ rural
Pagé	Silverbirch	Creek Crossing	24	collector	urban
Palace	Montréal	Northeast corner of Lot 85	2.0 additional from each side	local	urban
Palladium	Campeau	Huntmar south of Highway 417	44.5	arterial	urban
Palladium	Huntmar south of Highway 417	Silver Seven	44.5	arterial	urban
Palladium	Silver Seven	Terry Fox	37.5	arterial	urban



Road	From	To	ROW to be Protected (m)	Classification	Sector
Palomino	Eagleson	Eagleson	24	collector	urban
Parisien	Entire length		20	local	urban
Parkdale	Ottawa River Parkway	Wellington Street West	26	arterial	urban
Patricia	Richmond	40m north of Richmond Road	15.24 Note: widening only on west side	major collector	urban
Penfield	Teron	Teron	24	collector	urban
Perry	Fieldrow	Meadowlands	24	collector	urban
Perth	Village boundary (west)	Eagleson	30	arterial	village
Pickford	Kakulu	Kakulu	24	collector	urban
Pinecrest	Carling	Richmond	37.5	arterial	urban
Place d'Orléans	St. Joseph	St. Joseph	37.5	arterial	urban
Potter	Bankfield	Eastman	26	collector	village
Preston extension	Wellington / Sir John A. Macdonald	Albert	26	arterial	urban
Preston	Albert	Carling	23	arterial	urban
Prestone	Tompkins	Amiens	24	collector	urban
Prestwick	Amiens	Innes	26	collector	urban
Pretoria Bridge	Elgin	Colonel By	23	arterial	urban
Prince of Wales	Preston	Heron/ Baseline	26	arterial	urban
Prince of Wales	Fisher	Rideau Shore	40	arterial	urban



Road	From	To	ROW to be Protected (m)	Classification	Sector
Prince of Wales	Rideau Shore	Colonnade	42 to 72 Note: Varies and subject to unequal widening requirements of the Prince of Wales Dr. Widening ESR	arterial	urban
Prince of Wales	Colonnade	Rideau Heights Lane	32 to 58 Note: Varies and subject to unequal widening requirements of the Prince of Wales Dr. Widening ESR	arterial	urban
Prince of Wales	Rideau Heights Lane	Rideau Heights	32 to 40 Note: Varies and subject to unequal widening requirements of the Prince of Wales Dr. Widening ESR	arterial	urban
Prince of Wales	Rideau Heights	West Hunt Club	34 to 48 Note: Varies and subject to unequal widening requirements of the Prince of Wales Dr. Widening ESR	arterial	urban



Road	From	To	ROW to be Protected (m)	Classification	Sector
Prince of Wales	West Hunt Club	Deakin	40 to 48 Note: Varies and subject to unequal widening requirements of the Prince of Wales Dr. Widening ESR	arterial	urban
Prince of Wales	Deakin	Amberwood	40 to 41 Note: Varies and subject to unequal widening requirements of the Prince of Wales Dr. Widening ESR	arterial	urban
Prince of Wales	Amberwood	Fallowfield	40 to 63 Note: Varies and subject to unequal widening requirements of the Prince of Wales Dr. Widening ESR	arterial	urban
Prince of Wales	Fallowfield	Merivale	45 to 63 Note: Varies and subject to unequal widening requirements of the Prince of Wales Dr. Widening ESR	arterial	urban



Road	From	To	ROW to be Protected (m)	Classification	Sector
Prince of Wales	Merivale	Crestway	40 to 65 Note: Varies and subject to unequal widening requirements of the Prince of Wales Dr. Widening ESR	arterial	urban
Prince of Wales	Crestway	Urban area - south limit	40 Note: For the segment 1200 m to the north and 700 m to the south of the proposed Strandherd Drive intersection, the maximum land requirement varies from 22.25 m to 1.0 m on the east side, and varies from 22.25 m to 43.5 m on the west Side	arterial	urban / rural
Prince of Wales	Urban area - south limit	Bankfield	40	arterial	rural
Prince of Wales	Approx. 250 m north of Danbury (North Gower Village Boundary)	Fourth Line	23	arterial	village
Princess	Rockcliffe Parkway	Sussex	20	arterial	urban



Road	From	To	ROW to be Protected (m)	Classification	Sector
Queen	Lyon	Elgin	Note: Subject to widening/ easement policy	local	urban
Queensview	Pinecrest	street terminus	24	local	urban
Ramsayville	Walkley	Leitrim	G	arterial	urban
Randall James	Harry Douglas	Kathleen	24	collector	urban
Raymond	Highway 417 ramp	Bronson	23	arterial	urban
Renaud	Greenbelt Boundary	Fern Casey	26	Collector	urban
Renaud	Fern Casey	Mer Bleue	24	collector	urban
Renshaw	West Ridge	Hobin	24	collector	urban
Richard	Arthur	Van Vliet	18	local	village
Richardson Side	Future Terry Fox	Kanata	26	local	urban
Richmond	Bell's Corners - urban area - south limit	Moodie	37.5	arterial	urban
Richmond	Moodie	Robertson	24	collector	urban
Richmond	Baseline	Holly Acres	49.5 Note: Subject to the Baseline Road Rapid Transit Corridor (Bayshore Station to Heron Station) Planning and Environmental Assessment Study	arterial	urban
Richmond	Holly acres	Highway 417	44.5	arterial	urban



Road	From	To	ROW to be Protected (m)	Classification	Sector
Richmond	Highway 417	Sir John A. Macdonald Parkway	37.5	arterial	urban
Richmond	Ottawa River Parkway	Golden	26 Note: Subject to unequal widening: north side 7.5 m, south side 18.5 m	arterial	urban
Rideau	Sussex	King Edward	30 Note: Maximum land requirement from property abutting existing ROW (1.75 m).	arterial	urban
Rideau	King Edward	Terminus of Montréal Road	26	arterial	urban
Rideau Terrace	Noel	Acacia	18 Note: On south side between Noel and Lambton 3.048 m widening required. Widening to be taken equally from each side between Lambton and Acacia.	collector	urban
Rideau Valley	Blue Rock	Stevens Creek	23	arterial	village
Ridgefield	Arnold	Stinson	24	collector	urban
River Road	Limebank	Greenbelt boundary	37.5	arterial	urban
River Road	Greenbelt boundary	Riverside South Community – north limit	G	arterial	urban



Road	From	To	ROW to be Protected (m)	Classification	Sector
River Road	Riverside South Community – north limit	Urban area– south limit	37.5 Note: An additional 5.0 m on the Greenbelt side may be required to construct a rural cross- section. An unequal widening applies to the segment between the line dividing Lots 18 and 19 BF Concession Gloucester south to and including the frontage of the south half of Lot 21, where the maximum land requirement is 20 m on the east side and 17.5 m on the west side.	arterial	urban
River Road	Urban area – south limit	Mitch Owens	34	arterial	urban
Riverside	Highway 417	Smyth	44.5	arterial	urban
Riverside	Smyth	Heron	37.5	arterial	urban
Riverside	Heron	Brookfield	44.5	arterial	urban
Riverside	Brookfield	Rail Line (CN)	37.5	arterial	urban
Riverside	Rail Line (CN)	Terminus at River Road	44.5	arterial	urban
Riverside South transit street	Collector road “C” (Portico extension)	Limebank	43	collector	urban



Road	From	To	ROW to be Protected (m)	Classification	Sector
Robert Grant	Palladium	Hazeldean	37.5 as per the Kanata West Transportation Master Plan	arterial	urban
Robert Grant	Hazeldean	Abbott	45.5 Varies subject to detailed design	arterial	urban
Robertson	Eagleson	Bell's Corners - urban area - west limit	G	arterial	urban
Robertson	Bell's Corners - urban area - west limit	Bell's Corners - urban area - east limit	37.5	arterial	urban
Robertson	Bell's Corners - urban area east limit	Baseline	G	arterial	urban
Rochester	Gladstone	417 underpass	22 Note: 1.0 per side	major collector	urban
Rocque	St. Pierre	Gabriel	23	local	urban
Roger Stevens	Approx. 600 m west of Craighurst (North Gower Village west Boundary)	Approx. 300 m east of Fourth Line	23	arterial	village
Roosevelt	Richmond	Danforth (Byron)	18 Note: West side	local	urban
Rosebella	Albion	Conroy	18.5	local	urban
Rothesay	Glamorgan	Eagleson	24	collector	urban
Roydon	Merivale	West Hunt Club	24	collector	urban
Russell	Smyth	Walkley	37.5	arterial	urban
Russell	Walkley	Hawthorne	44.5	arterial	urban



Road	From	To	ROW to be Protected (m)	Classification	Sector
Russell	Hawthorne	Greenbelt boundary	30	arterial	urban
Russell	Greenbelt boundary	Ramsayville	G	arterial	urban
Russell	Leitrim	Greenbelt boundary	G	arterial	urban
Russell	Greenbelt boundary	Carlsbad Springs-western boundary	37.5	arterial	urban
Russell	Western boundary of Village of Carlsbad Springs	Eastern boundary of Village of Carlsbad Springs	23	arterial	village
Sandcastle	Valley Stream	Baseline	24	collector	urban
Scott	Churchill	Bayview	26	arterial	urban
Seyton	Westcliffe	Richmond	24	collector	urban
Shatner Gate	Pickford	Eagleson	24	collector	urban
Shore	St. Laurent	Triole	18	local	urban
Silver Seven	Dead end at Highway 417	Maple Grove	26	local	urban
Silverbirch	Orléans	Pagé	26	collector	urban
Slack	Woodroffe	Merivale	26	collector	urban
Slater	Empress	Bronson	40	arterial	urban

Note: Maximum land requirement from property abutting existing ROW (10.00m).



Road	From	To	ROW to be Protected (m)	Classification	Sector
Slater	Bronson	Elgin	VRW Note: Maximum land requirement from property abutting existing ROW (1.25 m). Subject to widening/easement policy	arterial	urban
Slater	Elgin	MacKenzie King Bridge	VRW	arterial	urban
Smyth	Alta Vista	Dauphin	30	arterial	urban
Smyth	Dauphin	St. Laurent	26	arterial	urban
Solandt	Entire length		26	collector	urban
Somerset St. West	Breezehill	Preston	20	arterial	urban
Somerset St. West	Booth	Bronson	20	arterial	urban
Somerset St, West	Bronson	Elgin	20 Note: Maximum land requirement from property abutting existing ROW (0.90 m). Subject to widening/ easement policy.	arterial	urban
Spratt	Earl Armstrong	Rideau	26	major collector	urban
Springbrook	Hazeldean	Trailway	24	collector	urban
Springfield	Maple Lane	Rideau terrace	24 Note: West side and corner roundings at northwest corner	major collector	urban
St. Jean	Cousineau	Notre Dame	20	local	urban



Road	From	To	ROW to be Protected (m)	Classification	Sector
St. Joseph	Ottawa Road 174	Orleans community – west limit	G	arterial	urban
St. Joseph	Orleans community – west limit	Edgar Brault	32	arterial	urban
St. Joseph	Edgar Brault	Gabriel	26	arterial	urban
St. Joseph	Gabriel	130 m west of Duford/ Place d'Orléans	32	arterial	urban
St. Joseph	130 m west of Duford/ Place d'Orléans	Trim	37.5	arterial	urban
St. Laurent	Hemlock	Montréal	26	arterial	urban
St. Laurent	Montréal	Donald	44.5	arterial	urban
St. Laurent	Donald	Smyth	44.5	arterial	urban
St. Patrick	Sussex	King Edward	20	arterial	urban
			Note: Maximum land requirement from property abutting existing ROW (0.55m)		
St. Patrick	King Edward	Vanier parkway	37.5	arterial	urban
St. Pierre	North end	130m north of St. Joseph	23	local	urban
Stafford	Moodie	Richmond	24	collector	urban
Star Top	Cyrville	Innes	26	local	urban
Stittsville Main	Hazeldean	Carp	37.5	arterial	urban
Stittsville Main	Carp	Wintergreen	30.0	arterial	urban
Stittsville Main	Wintergreen	Bobcat	23	arterial	urban
Stittsville Main	Bobcat	Etta	23	arterial	urban



Road	From	To	ROW to be Protected (m)	Classification	Sector
Stittsville Main	Etta	Urban area limits	37.5	arterial	urban
Stonehaven	Eagleson	Richmond	26	collector	urban
Stonemeadow	Entire length		24	collector	urban
Strandherd	Fallowfield	Greenbank	44.5	arterial	urban
Sunderland	Bentley	West Hunt Club	24	collector	urban
Sussex	Princess	John	20	arterial	urban
Sussex	John	St. Patrick	26	arterial	urban
Tallwood	Centrepointe	Woodroffe	28	collector	urban
Taylor Creek	St. Joseph	Trim	26	collector	urban
Tenth Line	Tompkins	Amiens	44.5	arterial	urban
Tenth Line	Amiens	Innes	37.5	arterial	urban
			Note: Subject to unequal widening: east side 20.5 m, west side 17.0 m.		
Tenth Line	Innes	Vanguard	44.5	arterial	urban
Tenth Line	Vanguard	Urban area - south limit	37.5	arterial	urban
			Note: An additional 5.0 m on the rural side may be required to construct a rural cross-section.		

Road	From	To	ROW to be Protected (m)	Classification	Sector
Terminal	Industrial	Trainyards	24 to 32 Note: subject to varying widening requirements of the Hospital Link and Cumberland Transitway Westerly ESR	collector	urban
Teron	Campeau	March	26	major collector	urban
Terry Fox	March	Kanata	44.5	arterial	urban
Terry Fox	Didsbury	Castlefrank	44.5	arterial	urban
Terry Fox	Old Rail Line (315m north of Westphalian Ave)	Fernbank	44.5	arterial	urban
Timm	Eagleson	Moodie	G	arterial	urban
Tompkins	Major	Prestone	24	collector	urban
Trailway	Entire length		24	collector	urban
Trainyards	Terminal	Belfast	30 Note: subject to varying widening requirements of the Hospital Link and Cumberland Transitway Westerly ESR	collector	urban

Road	From	To	ROW to be Protected (m)	Classification	Sector
Tremblay	Riverside	St. Laurent	26 Note: Subject to unequal widening: 26 m, measured from the existing south ROW limit. Note: For the proposed roundabout located between Belfast and St. Laurent, more lands on either side of Tremblay, in addition to the 26 m unequal widening may be required.	major collector	urban
Trim	Innes	Urban area - south limit	37.5 Note: An additional 5.0 m on the rural side may be required to construct a rural cross-section.	arterial	urban
Trim	Hydro corridor / Frank Kenny extension	Existing Trim	37.5	arterial	urban
Trim	North Service	Ottawa Road 174	26	major collector	urban
Triole	North of Tremblay		20	local	urban
Triole	All sections south of Tremblay		18	local	urban
Vaan	Entire length		24	collector	urban
Valin	Charlemagne	Trim	26	major collector	urban



Road	From	To	ROW to be Protected (m)	Classification	Sector
Vanguard	Frank Bender	West of Frank Bender	24	collector	Urban
Vanguard	Frank Bender	East of Frank Bender	24	collector	Urban
Varley	Beaverbrook	Beaverbrook	24	collector	urban
Vaughn	Crichton	Mackay	15	local	urban
Victoria	Glen	Glenwood	23	arterial	village
Viewmount	Meadowlands	Fisher	24	collector	urban
Virgil	Stinson	Lynhar	24	collector	urban
Viseneau	Boyer	Innes	26	collector	urban
Walkley	Riverside	Bank	26	arterial	urban
Walkley	Bank	Heron	37.5	arterial	urban
Walkley	Heron	Greenbelt boundary	44.5	arterial	urban
Walkley	Greenbelt boundary	Ramsayville	G	arterial	urban
Waller	Rideau	Laurier East	23	arterial	urban
			Note: Maximum land requirement from property abutting existing ROW (1.54 m).		
Waterbridge	Cresthaven	Prince of Wales	24	collector	urban
Watters	Trim	Everlasting - east intersection	26	collector	urban
Watters Note: South side	Everlasting - east intersection	turn to south approx. 525 m east of Everlasting	20	local	rural
Wellington St. West	Island Park	Terminus at Somerset	20	arterial	urban



Road	From	To	ROW to be Protected (m)	Classification	Sector
West Hunt Club	Old Richmond	Highway 416	44 Note: subject to the varying widening requirements of the Hope Side Road/Old Richmond Road Corridor (Terry Fox Drive to Highway 416) ESR	arterial	urban
West Hunt Club	Highway 416	Greenbelt boundary	G	arterial	urban
West Hunt Club	Greenbelt boundary	Cleopatra	44.5 Note: An additional 5.0 m on the Greenbelt side may be required to construct a rural cross-section.	arterial	urban
West Hunt Club	Cleopatra	Prince of Wales	44.5	arterial	urban
West Ridge	Hazeldean	Fernbank	24	collector	urban
Westcliffe	Robertson	Seyton	24	collector	urban
Whitby	Churchill	Winona	15 Note: North side	local	urban
Winston	Richmond	Dead end at Wilmont	15	local	urban
Withrow	Meadowlands	Merivale	24	collector	urban
Woodfield	Medhurst	Merivale	24	collector	urban
Woodridge	Bayshore	Bayshore	24	collector	urban



Road	From	To	ROW to be Protected (m)	Classification	Sector
Woodroffe	Ottawa River Parkway	Adirondack	26	arterial	urban
Woodroffe	Adirondack	Baseline	37.5	arterial	urban
Woodroffe	Baseline	Knoxdale	44.5	arterial	urban
Woodroffe	Knoxdale	West Hunt Club	44.5		
			Note: Additional up to 30 on the west side subject to unequal widening requirements of the Barrhaven Light Rail Transit (Baseline Station to Barrhaven Town Centre) and Rail Grade-Separations Planning and EA Study		
Woodroffe	West Hunt Club	225m south of West Hunt Club	G to 82.2	arterial	urban
			Note: Varies and subject to unequal widening requirements of the Barrhaven Light Rail Transit (Baseline Station to Barrhaven Town Centre) and Rail Grade-Separations Planning and EA Study.		
Woodroffe	225m south of West Hunt Club	470m north of VIA Rail	G	arterial	urban



Road	From	To	ROW to be Protected (m)	Classification	Sector
Woodroffe	470m north of VIA Rail	290m south of VIA Rail	G to 246.4 Note: Varies and subject to unequal widening requirements of the Barrhaven Light Rail Transit (Baseline Station to Barrhaven Town Centre) and Rail Grade-Separations Planning and EA Study	arterial	urban
Woodroffe	290m south of VIA Rail	Fallowfield	G	arterial	urban
Woodroffe	Fallowfield	Greenbelt boundary	44.5 Note: An additional 5.0 m on the Greenbelt side may be required to construct a rural cross-section. Subject to widenings as outlined in the Woodroffe Avenue Environmental Study Report (ESR)	arterial	urban
Woodroffe	Greenbelt boundary	Strandherd	34.5 to 57 Note: Subject to unequal widening outlined in Woodroffe Avenue ESR	arterial	urban



Road	From	To	ROW to be Protected (m)	Classification	Sector
Woodroffe	Strandherd	Brenmar	26	major collector	urban

Notes:

1. All distances are in metres.
2. All unequal widening measured from centreline unless specified.
3. "ECP" – signifies Existing Corridor Protection
4. "G" – signifies Greenbelt for which unique rights-of-way protection policy apply as follows: For arterial road segments located entirely within the Greenbelt, the right-of-way requirements vary depending on: the number and width of travel lanes; the treatment of curbs, medians, and road drainage; and other amenities to be provided in the corridor. On this basis, the right-of-way to be acquired by the City and the means to acquire the land will be determined with involvement of the National Capital Commission on a case-by-case basis when road modifications are being planned. If a portion of Greenbelt land is conveyed to another owner, a minimum road-widening requirement of 42.5 m shall apply for an arterial road segment adjacent to that land.


For segments adjacent to the Greenbelt along only one side, the ROW dimension for the urban area side should be protected, with an additional 5.0 m widening requested along the Greenbelt side (to construct the wider rural cross-section). As always, the widening requirements are to be measured from the existing road centerline.

5. VRW - signifies variable rights-of-way. From the abutting properties a widening and or an easement will be taken.
6. The widening of Trim Road will be designed as no more than a 4-lane divided arterial road, with turning lanes at intersections as required, and this will not be altered without the appropriate Environmental Assessment Act reviews and the appropriate Official Plan Amendments.
7. "Uneven" means topographic or other features may require an uneven road widening, detail of which will be determined by the City normally upon examination of a development application on adjacent lands.








DRAFT

July 26, 2021



URBAN EXPANSION AREAS / ZONES D'EXPANSION URBAINE

-  Category 1 - Future Neighbourhood Overlay /
Catégorie 1 - Zone sous-jacente de quartier futur
-  Category 2 - Future Neighbourhood Overlay - New Tewin Community /
Catégorie 2 - Zone sous-jacente de quartier futur - Nouvelle communauté de Tewin
-  Industrial and Logistics /
Industrie et Logistique

-  Existing Urban Boundary / Périmètre d'urbanisation
-  Greenbelt / Ceinture de verdure



Official Plan / Plan officiel

Schedule C17 - Urban Expansion Areas
Annexe C17 - Zones d'expansion urbaine

